

Fredricks High Prairie Plants June 2011 Sorted by Family Name

Prairie Fredricks &/or High	Family	Scientific Name	Common Name	CoC	State Rank
F H	Acanthaceae	<i>Ruellia humilis</i>	fringe-leaf ruellia	3	S4
F H	Anacardiaceae	<i>Rhus glabra</i>	smooth sumac	1	S5
H	Anacardiaceae	<i>Toxicodendron radicans subsp. negundo</i>	poison-ivy	0	S5
F H	Apiaceae	<i>Daucus carota</i>	Queen-Anne's-lace	*	SE
F H	Apiaceae	<i>Eryngium yuccifolium var. yuccifolium</i>	button snake-root eryngo	7	S4
F H	Apiaceae	<i>Zizia aurea</i>	common golden-alexanders	5	S4
F H	Apocynaceae	<i>Apocynum cannabinum</i>	hemp dogbane	0	S5
H	Asclepiadaceae	<i>Asclepias hirtella</i>	prairie milkweed	7	S3
H	Asclepiadaceae	<i>Asclepias sullivantii</i>	smooth milkweed	5	S4
H	Asclepiadaceae	<i>Asclepias syriaca</i>	common milkweed	1	S5
F H	Asclepiadaceae	<i>Asclepias tuberosa subsp. interior</i>	butterfly milkweed	6	S5
F	Asclepiadaceae	<i>Asclepias viridiflora</i>	green milkweed	6	S5
F H	Asteraceae	<i>Achillea millefolium subsp. lanulosa</i>	western yarrow	1	S5
H	Asteraceae	<i>Ambrosia psilostachya</i>	western ragweed	3	S5
F H	Asteraceae	<i>Antennaria neglecta</i>	field pussy's-toes	2	S5
H	Asteraceae	<i>Arnoglossum plantagineum</i>	tuberous Indian-plantain	6	S5
H	Asteraceae	<i>Brickellia eupatorioides var. corymbulosa</i>	eastern brickellbush	2	S5
H	Asteraceae	<i>Carduus nutans subsp. leiophyllus</i>	musk-thistle	*	SE
F H	Asteraceae	<i>Coreopsis palmata</i>	finger coreopsis	7	S4
F H	Asteraceae	<i>Echinacea pallida</i>	pale purple-coneflower	7	S5
H	Asteraceae	<i>Erigeron philadelphicus var. philadelphicus</i>	Philadelphia fleabane	3	S4
F H	Asteraceae	<i>Erigeron strigosus var. strigosus</i>	daisy fleabane	4	S5
F H	Asteraceae	<i>Helianthus grosseserratus</i>	saw-tooth sunflower	4	S4
H	Asteraceae	<i>Helianthus maximiliani</i>	Maximilian's sunflower	3	S5
H	Asteraceae	<i>Helianthus mollis</i>	ashy sunflower	7	S4
H	Asteraceae	<i>Helianthus pauciflorus var. pauciflorus</i>	stiff sunflower	5	S5
H	Asteraceae	<i>Helianthus tuberosus</i>	Jerusalem-artichoke sunflower	2	S5
F H	Asteraceae	<i>Heliopsis helianthoides subsp. scabra</i>	sunflower heliopsis	6	S1
F H	Asteraceae	<i>Hieracium longipilum</i>	long-beard hawkweed	5	S4
H	Asteraceae	<i>Leucanthemum vulgare</i>	common ox-eye daisy	*	SE
F H	Asteraceae	<i>Liatris aspera</i>	button gayfeather	6	S5
H	Asteraceae	<i>Liatris pycnostachya</i>	thick-spike gayfeather	7	S4
H	Asteraceae	<i>Packera plattensis</i>	prairie ragwort	5	S5
H	Asteraceae	<i>Packera pseud aurea var. semicordata</i>	false golden ragwort	7	S2
F H	Asteraceae	<i>Ratibida pinnata</i>	gray-head prairie-coneflower	3	S5
F H	Asteraceae	<i>Rudbeckia hirta var. pulcherrima</i>	black-eyed-Susan	2	S4
H	Asteraceae	<i>Rudbeckia subtomentosa</i>	sweet coneflower	6	S3
H	Asteraceae	<i>Silphium integrifolium var. integrifolium</i>	whole-leaf rosinweed	3	S3
H	Asteraceae	<i>Silphium integrifolium var. laeve</i>	showy rosinweed	3	S5
F H	Asteraceae	<i>Silphium laciniatum</i>	compassplant	4	S5
H	Asteraceae	<i>Solidago altissima var. altissima</i>	Canadian goldenrod	1	S5
H	Asteraceae	<i>Solidago rigida var. humilis</i>	stiff goldenrod	3	S3
H	Asteraceae	<i>Symphyotrichum ericoides var. ericoides</i>	heath aster	5	S5
F H	Asteraceae	<i>Symphyotrichum laeve</i>	smooth blue aster	7	S3
H	Asteraceae	<i>Symphyotrichum oolentangiense</i>	azure aster	8	S5
H	Asteraceae	<i>Symphyotrichum pilosum var. pilosum</i>	hairy aster	0	S5
F	Asteraceae	<i>Symphyotrichum sericeum</i>	silky aster	8	S5
F H	Asteraceae	<i>Tragopogon dubius</i>	western salsify	*	SE
H	Boraginaceae	<i>Lithospermum canescens</i>	hoary gromwell	7	S4
H	Boraginaceae	<i>Myosotis verna</i>	spring forget-me-not	2	S3
H	Brassicaceae	<i>Barbarea vulgaris</i>	bitter wintercress	*	SE
H	Brassicaceae	<i>Lepidium densiflorum var. densiflorum</i>	prairie pepper-grass	0	S5
H	Brassicaceae	<i>Microthlaspi perfoliatum</i>	perfoliate-pennycress	*	SE
F H	Campanulaceae	<i>Lobelia spicata</i>	pale-spike lobelia	6	S5
H	Campanulaceae	<i>Triodanis perfoliata</i>	clasping-leaf Venus'-looking-glass	2	S5
H	Caryophyllaceae	<i>Cerastium nutans</i>	nodding mouse's-ear-chickweed	2	S2
F H	Caryophyllaceae	<i>Dianthus armeria</i>	Deptford pink	*	SE
H	Caryophyllaceae	<i>Silene antirrhina</i>	sleep catchfly	0	S5
F H	Clusiaceae	<i>Hypericum perforatum</i>	common St. John's-wort	*	SE
H	Commelinaceae	<i>Tradescantia bracteata</i>	bracted spiderwort	5	S5
H	Commelinaceae	<i>Tradescantia ohiensis</i>	Ohio spiderwort	5	S5
H	Convolvulaceae	<i>Calystegia sepium var. angulata</i>	common hedge-bindweed	0	S5
H	Cyperaceae	<i>Carex bicknellii</i>	Bicknell's sedge	8	S3
H	Cyperaceae	<i>Carex brachyglossa</i>	yellow-fruit sedge	5	S5

Fredricks High Prairie Plants June 2011 Sorted by Family Name

Prairie Fredricks &/or High	Family	Scientific Name	Common Name	CoC	State Rank
H	Cyperaceae	<i>Carex brevior</i>	short-beak sedge	5	S5
H	Cyperaceae	<i>Carex davisii</i>	Davis' sedge	4	S5
H	Cyperaceae	<i>Carex festucea</i>	fescue sedge	6	S1
F	Cyperaceae	<i>Carex frankii</i>	frank's sedge	4	S5
H	Cyperaceae	<i>Carex gravida</i>	heavy sedge	4	S5
H	Cyperaceae	<i>Carex meadii</i>	Mead's sedge	7	S5
H	Cyperaceae	<i>Carex missouriensis</i>	Missouri sedge	7	S1
H	Cyperaceae	<i>Carex molesta</i>	pest sedge	4	S3
H	Cyperaceae	<i>Carex pellita</i>	woolly sedge	5	S5
H	Cyperaceae	<i>Carex vulpinoidea</i>	fox sedge	3	S5
H	Cyperaceae	<i>Eleocharis compressa</i> var. <i>acutisquamata</i>	flat-stem spike-rush	6	S3
H	Cyperaceae	<i>Eleocharis palustris</i>	marsh spike-rush	6	S3
H	Cyperaceae	<i>Eleocharis verrucosa</i>	slender spike-rush	8	S2
F	Cyperaceae	<i>Fimbristylis puberula</i> var. <i>puberula</i>	hairy fimbry	8	S5
H	Cyperaceae	<i>Scirpus pendulus</i>	drooping bulrush	3	S5
H	Cyperaceae	<i>Scleria triglomerata</i>	whip nut-rush	8	S5
F H	Euphorbiaceae	<i>Euphorbia corollata</i>	flowering spurge	5	S5
H	Euphorbiaceae	<i>Euphorbia marginata</i>	snow-on-the-mountain	0	S5
F H	Fabaceae	<i>Amorpha canescens</i>	leadplant	7	S5
F H	Fabaceae	<i>Apios americana</i>	American potato-bean	6	S3
H	Fabaceae	<i>Astragalus crassicaupus</i> var. <i>crassicaupus</i>	ground-plum milk-vetch	7	S5
H	Fabaceae	<i>Baptisia alba</i> var. <i>macrophylla</i>	white wild-indigo	5	S3
F H	Fabaceae	<i>Baptisia bracteata</i> var. <i>leucophaea</i>	plains wild-indigo	6	S5
H	Fabaceae	<i>Dalea candida</i> var. <i>candida</i>	white prairie-clover	7	S5
H	Fabaceae	<i>Dalea purpurea</i> var. <i>purpurea</i>	purple prairie-clover	7	S5
F H	Fabaceae	<i>Desmanthus illinoensis</i>	Illinois bundle-flower	2	S5
F H	Fabaceae	<i>Desmodium illinoense</i>	Illinois tick-clover	5	S4
H	Fabaceae	<i>Desmodium sessilifolium</i>	sessile-leaf tickclover	7	S5
H	Fabaceae	<i>Lespedeza capitata</i>	round-head bush-clover	6	S5
F	Fabaceae	<i>Lespedeza cuneata</i>	sericea bush-clover	*	SE
H	Fabaceae	<i>Lespedeza violacea</i>	violet bush-clover	5	S4
F H	Fabaceae	<i>Melilotus albus</i>	white sweet-clover	*	SE
H	Fabaceae	<i>Melilotus officinalis</i>	yellow sweet-clover	*	SE
H	Fabaceae	<i>Pedimelum esculentum</i>	bread-root scurf-pea	7	S5
H	Fabaceae	<i>Psoraleidum tenuiflorum</i>	narrow-leaf scurf-pea	3	S5
H	Fabaceae	<i>Trifolium campestre</i>	low hop clover	*	SE
F H	Fabaceae	<i>Trifolium pratense</i>	red clover	*	SE
H	Gentianaceae	<i>Gentiana puberulenta</i>	downy gentian	8	S3
H	Geraniaceae	<i>Geranium carolinianum</i>	Carolina crane's-bill	0	S5
H	Iridaceae	<i>Sisyrinchium campestre</i>	prairie blue-eyed-grass	6	S5
H	Juncaceae	<i>Juncus dudleyi</i>	Dudley's rush	3	S5
H	Lamiaceae	<i>Monarda fistulosa</i> var. <i>fistulosa</i>	wild bergamot bee-balm	3	S5
H	Lamiaceae	<i>Prunella vulgaris</i>	common selfheal	*	SE
H	Lamiaceae	<i>Pycnanthemum tenuifolium</i>	narrow-leaf mountain-mint	4	S5
H	Lamiaceae	<i>Salvia azurea</i>	blue sage	4	S5
F H	Liliaceae	<i>Allium canadense</i> var. <i>lavendulare</i>	Canadian onion	5	S5
H	Liliaceae	<i>Camassia scilloides</i>	Atlantic camas	8	S4
H	Liliaceae	<i>Hypoxis hirsuta</i>	hairy yellow star-lily	5	S4
H	Liliaceae	<i>Lilium michiganense</i>	Michigan lily	8	S3
F H	Liliaceae	<i>Melanthium virginicum</i>	Virginia bunchflower	10	S2
H	Linaceae	<i>Linum sulcatum</i> var. <i>sulcatum</i>	grooved flax	6	S5
F H	Lythraceae	<i>Lythrum alatum</i> var. <i>alatum</i>	winged loosestrife	4	S5
F	Onagraceae	<i>Oenothera macrocarpa</i> subsp. <i>macrocarpa</i>	Missouri evening-primrose	5	S5
H	Oxalidaceae	<i>Oxalis violacea</i>	violet wood-sorrel	4	S5
H	Plantaginaceae	<i>Plantago virginica</i>	pale-seed plantain	1	S5
H	Poaceae	<i>Agrostis hyemalis</i>	winter bent grass	2	S5
H	Poaceae	<i>Agrostis stolonifera</i>	creeping bent grass	*	SE
H	Poaceae	<i>Andropogon gerardii</i>	big bluestem	4	S5
F	Poaceae	<i>Bouteloua curtipendula</i> var. <i>curtipendula</i>	side-oats grama	5	S5
H	Poaceae	<i>Bromus inermis</i>	smooth brome	*	SE
H	Poaceae	<i>Bromus japonicus</i>	Japanese brome	*	SE
F H	Poaceae	<i>Dichanthelium leibergii</i>	Leiberg's dichanthelium	10	S2
H	Poaceae	<i>Dichanthelium oligosanthos</i> subsp. <i>scribnerianum</i>	Scribner's dichanthelium	4	S5
H	Poaceae	<i>Dichanthelium sphaerocarpon</i>	round-seed dichanthelium	5	S3

Fredricks High Prairie Plants June 2011 Sorted by Family Name

Prairie Fredricks &/or High	Family	Scientific Name	Common Name	CoC	State Rank
F	Poaceae	<i>Elymus canadensis</i>	Canadian wild-rye	5	S5
F H	Poaceae	<i>Hesperostipa spartea</i>	porcupine grass	8	S4
F H	Poaceae	<i>Koeleria macrantha</i>	prairie June grass	6	S4
H	Poaceae	<i>Phleum pratense subsp. pratense</i>	common timothy	*	SE
H	Poaceae	<i>Poa compressa</i>	Canadian blue grass	*	SE
H	Poaceae	<i>Poa pratensis</i>	Kentucky blue grass	*	SE
H	Poaceae	<i>Schedonorus pratensis</i>	meadow mountain-fescue	*	SE
H	Poaceae	<i>Sorghastrum nutans</i>	yellow Indian grass	5	S5
F H	Poaceae	<i>Spartina pectinata</i>	prairie cord grass	4	S5
F H	Poaceae	<i>Sporobolus heterolepis</i>	prairie dropseed	8	S2
F H	Poaceae	<i>Tripsacum dactyloides var. dactyloides</i>	eastern gamma grass	3	S5
F H	Polemoniaceae	<i>Phlox pilosa subsp. fulgida</i>	prairie phlox	7	S3
H	Polygalaceae	<i>Polygala incarnata</i>	slender milkwort	8	S4
H	Polygonaceae	<i>Rumex crispus</i>	curly dock	*	SE
F H	Primulaceae	<i>Lysimachia ciliata</i>	fringed loosestrife	6	S3
H	Ranunculaceae	<i>Anemone canadensis</i>	Canadian anemone	6	S3
H	Ranunculaceae	<i>Delphinium carolinianum subsp. virescens</i>	Carolina larkspur	6	S5
H	Ranunculaceae	<i>Ranunculus hispidus var. nitidus</i>	bristly buttercup	6	S2
F H	Rhamnaceae	<i>Ceanothus herbaceus</i>	inland ceanothus	8	S4
F	Rosaceae	<i>Dryocallis arguta</i>	tall cinquefoil	6	S3
F H	Rosaceae	<i>Fragaria virginiana subsp. virginiana</i>	woodland strawberry	2	S4
H	Rosaceae	<i>Potentilla recta</i>	sulfur cinquefoil	*	SE
F H	Rosaceae	<i>Potentilla simplex</i>	old-field cinquefoil	3	S3
H	Rosaceae	<i>Rosa arkansana</i>	Arkansas rose	4	S5
H	Rosaceae	<i>Rosa setigera</i>	prairie rose	3	S4
F H	Rosaceae	<i>Rubus aboriginum</i>	one-flower dewberry	5	S3
H	Rubiaceae	<i>Galium obtusum subsp. obtusum</i>	blunt-leaf bedstraw	5	S3
H	Rutaceae	<i>Zanthoxylum americanum</i>	common prickly-ash	3	S4
H	Salicaceae	<i>Salix humilis var. humilis</i>	prairie willow	7	S3
F H	Santalaceae	<i>Comandra umbellata subsp. umbellata</i>	umbellate bastard toad-flax	6	S3
H	Saxifragaceae	<i>Heuchera richardsonii</i>	Richardson's alumroot	7	S3
F H	Scrophulariaceae	<i>Pedicularis canadensis subsp. canadensis</i>	Canadina lousewort	7	S3
H	Scrophulariaceae	<i>Penstemon digitalis</i>	smooth beardtongue	4	S4
H	Scrophulariaceae	<i>Penstemon tubaeiflorus</i>	tube beardtongue	3	S5
H	Scrophulariaceae	<i>Veronicastrum virginicum</i>	Culver's-root	8	S3
F H	Solanaceae	<i>Physalis pumila</i>	prairie ground-cherry	4	S4
H	Solanaceae	<i>Solanum carolinense</i>	Carolina horse-nettle	1	S5
H	Valerianaceae	<i>Valerianella radiata</i>	limestone cornsalad	2	S4
H	Violaceae	<i>Viola pedatifida var. pedatifida</i>	prairie violet	6	S3
H	Violaceae	<i>Viola sororia var. sororia</i>	dowy blue violet	2	S3
H	Vitaceae	<i>Vitis riparia</i>	riverbank grape	2	S5
H	Vitaceae	<i>Vitis vulpina</i>	winter grape	3	S3
State Rank Definitions:					
S1 = critically imperiled in KS; 5 or fewer occurrences					
S2 = imperiled in KS; 6-20 occurrences					
S3 = rare in KS; 21-100 occurrences					
S4 = apparently secure in KS; many occurrences					
S5 = demonstrably secure in KS					
SE = exotic in KS					
SH = of historical occurrence in KS, not seen in 30 years					
SX = apparently extirpated in KS					
SR = reported in KS but without persuasive documentation					
SRF = reported falsely in KS; see "Excluded Taxa" worksheet					