

Fredricks High Prairie Plants June 2011 Sorted by Scientific Name

<u>Prairie</u> Fredricks &/or High	Scientific Name	Family	Common Name	CoC	State Rank
F H	<i>Achillea millefolium</i> subsp. <i>lanulosa</i>	Asteraceae	western yarrow	1	S5
H	<i>Agrostis hyemalis</i>	Poaceae	winter bent grass	2	S5
H	<i>Agrostis stolonifera</i>	Poaceae	creeping bent grass	*	SE
F H	<i>Allium canadense</i> var. <i>lavendulare</i>	Liliaceae	Canadian onion	5	S5
H	<i>Ambrosia psilostachya</i>	Asteraceae	western ragweed	3	S5
F H	<i>Amorpha canescens</i>	Fabaceae	leadplant	7	S5
H	<i>Andropogon gerardii</i>	Poaceae	big bluestem	4	S5
H	<i>Anemone canadensis</i>	Ranunculaceae	Canadian anemone	6	S3
F H	<i>Antennaria neglecta</i>	Asteraceae	field pussy's-toes	2	S5
F H	<i>Apios americana</i>	Fabaceae	American potato-bean	6	S3
F H	<i>Apocynum cannabinum</i>	Apocynaceae	hemp dogbane	0	S5
H	<i>Arnoglossum plantagineum</i>	Asteraceae	tuberous Indian-plantain	6	S5
H	<i>Asclepias hirtella</i>	Asclepiadaceae	prairie milkweed	7	S3
H	<i>Asclepias sullivantii</i>	Asclepiadaceae	smooth milkweed	5	S4
H	<i>Asclepias syriaca</i>	Asclepiadaceae	common milkweed	1	S5
F H	<i>Asclepias tuberosa</i> subsp. <i>interior</i>	Asclepiadaceae	butterfly milkweed	6	S5
F	<i>Asclepias viridiflora</i>	Asclepiadaceae	green milkweed	6	S5
H	<i>Astragalus crassicus</i> var. <i>crassicus</i>	Fabaceae	ground-plum milk-vetch	7	S5
H	<i>Baptisia alba</i> var. <i>macrophylla</i>	Fabaceae	white wild-indigo	5	S3
F H	<i>Baptisia bracteata</i> var. <i>leucophaea</i>	Fabaceae	plains wild-indigo	6	S5
H	<i>Barbarea vulgaris</i>	Brassicaceae	bitter wintercress	*	SE
F	<i>Bouteloua curtipendula</i> var. <i>curtipendula</i>	Poaceae	side-oats grama	5	S5
H	<i>Brickellia eupatorioides</i> var. <i>corymbulosa</i>	Asteraceae	eastern brickellbush	2	S5
H	<i>Bromus inermis</i>	Poaceae	smooth brome	*	SE
H	<i>Bromus japonicus</i>	Poaceae	Japanese brome	*	SE
H	<i>Calystegia sepium</i> var. <i>angulata</i>	Convolvulaceae	common hedge-bindweed	0	S5
H	<i>Camassia scilloides</i>	Liliaceae	Atlantic camas	8	S4
H	<i>Carduus nutans</i> subsp. <i>leiophyllus</i>	Asteraceae	musk-thistle	*	SE
H	<i>Carex bicknellii</i>	Cyperaceae	Bicknell's sedge	8	S3
H	<i>Carex brachyglossa</i>	Cyperaceae	yellow-fruit sedge	5	S5
H	<i>Carex brevior</i>	Cyperaceae	short-beak sedge	5	S5
H	<i>Carex davisii</i>	Cyperaceae	Davis' sedge	4	S5
H	<i>Carex festucacea</i>	Cyperaceae	fescue sedge	6	S1
F	<i>Carex frankii</i>	Cyperaceae	frank's sedge	4	S5
H	<i>Carex gravida</i>	Cyperaceae	heavy sedge	4	S5
H	<i>Carex meadii</i>	Cyperaceae	Mead's sedge	7	S5
H	<i>Carex missouriensis</i>	Cyperaceae	Missouri sedge	7	S1
H	<i>Carex molesta</i>	Cyperaceae	pest sedge	4	S3
H	<i>Carex pellita</i>	Cyperaceae	woolly sedge	5	S5
H	<i>Carex vulpinoidea</i>	Cyperaceae	fox sedge	3	S5
F H	<i>Ceanothus herbaceus</i>	Rhamnaceae	inland ceanothus	8	S4
H	<i>Cerastium nutans</i>	Caryophyllaceae	nodding mouse's-ear-chickweed	2	S2
F H	<i>Comandra umbellata</i> subsp. <i>umbellata</i>	Santalaceae	umbellate bastard toad-flax	6	S3
F H	<i>Coreopsis palmata</i>	Asteraceae	finger coreopsis	7	S4
H	<i>Dalea candida</i> var. <i>candida</i>	Fabaceae	white prairie-clover	7	S5
H	<i>Dalea purpurea</i> var. <i>purpurea</i>	Fabaceae	purple prairie-clover	7	S5
F H	<i>Daucus carota</i>	Apiaceae	Queen-Anne's-lace	*	SE
H	<i>Delphinium carolinianum</i> subsp. <i>virescens</i>	Ranunculaceae	Carolina larkspur	6	S5
F H	<i>Desmanthus illinoensis</i>	Fabaceae	Illinois bundle-flower	2	S5
F H	<i>Desmodium illinoense</i>	Fabaceae	Illinois tick-clover	5	S4
H	<i>Desmodium sessilifolium</i>	Fabaceae	sessile-leaf tickclover	7	S5
F H	<i>Dianthus armeria</i>	Caryophyllaceae	Deptford pink	*	SE
F H	<i>Dichanthelium leibergii</i>	Poaceae	Leiberg's dichanthelium	10	S2
H	<i>Dichanthelium oligosanthes</i> subsp. <i>scribnerianum</i>	Poaceae	Scribner's dichanthelium	4	S5
H	<i>Dichanthelium sphaerocarpon</i>	Poaceae	round-seed dichanthelium	5	S3
F	<i>Dryocallis arguta</i>	Rosaceae	tall cinquefoil	6	S3
F H	<i>Echinacea pallida</i>	Asteraceae	pale purple-coneflower	7	S5
H	<i>Eleocharis compressa</i> var. <i>acutisquamata</i>	Cyperaceae	flat-stem spike-rush	6	S3
H	<i>Eleocharis palustris</i>	Cyperaceae	marsh spike-rush	6	S3
H	<i>Eleocharis verrucosa</i>	Cyperaceae	slender spike-rush	8	S2
F	<i>Elymus canadensis</i>	Poaceae	Canadian wild-rye	5	S5
H	<i>Erigeron philadelphicus</i> var. <i>philadelphicus</i>	Asteraceae	Philadelphia fleabane	3	S4
F H	<i>Erigeron strigosus</i> var. <i>strigosus</i>	Asteraceae	daisy fleabane	4	S5
F H	<i>Eryngium yuccifolium</i> var. <i>yuccifolium</i>	Apiaceae	button snake-root eryngo	7	S4

Fredricks High Prairie Plants June 2011 Sorted by Scientific Name

<u>Prairie</u> Fredricks &/or High	Scientific Name	Family	Common Name	CoC	State Rank
F H	<i>Euphorbia corollata</i>	Euphorbiaceae	flowering spurge	5	S5
H	<i>Euphorbia marginata</i>	Euphorbiaceae	snow-on-the-mountain	0	S5
F	<i>Fimbristylis puberula</i> var. <i>puberula</i>	Cyperaceae	hairy fimbry	8	S5
F H	<i>Fragaria virginiana</i> subsp. <i>virginiana</i>	Rosaceae	woodland strawberry	2	S4
H	<i>Galium obtusum</i> subsp. <i>obtusum</i>	Rubiaceae	blunt-leaf bedstraw	5	S3
H	<i>Gentiana puberulenta</i>	Gentianaceae	downy gentian	8	S3
H	<i>Geranium carolinianum</i>	Geraniaceae	Carolina crane's-bill	0	S5
F H	<i>Helianthus grosseserratus</i>	Asteraceae	saw-tooth sunflower	4	S4
H	<i>Helianthus maximilianii</i>	Asteraceae	Maximilian's sunflower	3	S5
H	<i>Helianthus mollis</i>	Asteraceae	ashy sunflower	7	S4
H	<i>Helianthus pauciflorus</i> var. <i>pauciflorus</i>	Asteraceae	stiff sunflower	5	S5
H	<i>Helianthus tuberosus</i>	Asteraceae	Jerusalem-artichoke sunflower	2	S5
F H	<i>Heliopsis helianthoides</i> subsp. <i>scabra</i>	Asteraceae	sunflower heliopsis	6	S1
F H	<i>Hesperostipa spartea</i>	Poaceae	porcupine grass	8	S4
H	<i>Heuchera richardsonii</i>	Saxifragaceae	Richardson's alumroot	7	S3
F H	<i>Hieracium longipilum</i>	Asteraceae	long-beard hawkweed	5	S4
F H	<i>Hypericum perforatum</i>	Clusiaceae	common St. John's-wort	*	SE
H	<i>Hypoxis hirsuta</i>	Liliaceae	hairy yellow star-lily	5	S4
H	<i>Juncus dudleyi</i>	Juncaceae	Dudley's rush	3	S5
F H	<i>Koeleria macrantha</i>	Poaceae	prairie June grass	6	S4
H	<i>Lepidium densiflorum</i> var. <i>densiflorum</i>	Brassicaceae	prairie pepper-grass	0	S5
H	<i>Lespedeza capitata</i>	Fabaceae	round-head bush-clover	6	S5
F	<i>Lespedeza cuneata</i>	Fabaceae	sericea bush-clover	*	SE
H	<i>Lespedeza violacea</i>	Fabaceae	violet bush-clover	5	S4
H	<i>Leucanthemum vulgare</i>	Asteraceae	common ox-eye daisy	*	SE
F H	<i>Liatris aspera</i>	Asteraceae	button gayfeather	6	S5
H	<i>Liatris pycnostachya</i>	Asteraceae	thick-spike gayfeather	7	S4
H	<i>Lilium michiganense</i>	Liliaceae	Michigan lily	8	S3
H	<i>Linum sulcatum</i> var. <i>sulcatum</i>	Linaceae	grooved flax	6	S5
H	<i>Lithospermum canescens</i>	Boraginaceae	hoary gromwell	7	S4
F H	<i>Lobelia spicata</i>	Campanulaceae	pale-spike lobelia	6	S5
F H	<i>Lysimachia ciliata</i>	Primulaceae	fringed loosestrife	6	S3
F H	<i>Lythrum alatum</i> var. <i>alatum</i>	Lythraceae	winged loosestrife	4	S5
F H	<i>Melanthium virginicum</i>	Liliaceae	Virginia bunchflower	10	S2
F H	<i>Melilotus albus</i>	Fabaceae	white sweet-clover	*	SE
H	<i>Melilotus officinalis</i>	Fabaceae	yellow sweet-clover	*	SE
H	<i>Microthlaspi perfoliatum</i>	Brassicaceae	perfoliate-pennycress	*	SE
H	<i>Monarda fistulosa</i> var. <i>fistulosa</i>	Lamiaceae	wild bergamot bee-balm	3	S5
H	<i>Myosotis verna</i>	Boraginaceae	spring forget-me-not	2	S3
F	<i>Oenothera macrocarpa</i> subsp. <i>macrocarpa</i>	Onagraceae	Missouri evening-primrose	5	S5
H	<i>Oxalis violacea</i>	Oxalidaceae	violet wood-sorrel	4	S5
H	<i>Packera plattensis</i>	Asteraceae	prairie ragwort	5	S5
H	<i>Packera pseud aurea</i> var. <i>semicordata</i>	Asteraceae	false golden ragwort	7	S2
F H	<i>Pedicularis canadensis</i> subsp. <i>canadensis</i>	Scrophulariaceae	Canadina lousewort	7	S3
H	<i>Pedimelum esculentum</i>	Fabaceae	bread-root scurf-pea	7	S5
H	<i>Penstemon digitalis</i>	Scrophulariaceae	smooth beardtongue	4	S4
H	<i>Penstemon tubaeiflorus</i>	Scrophulariaceae	tube beardtongue	3	S5
H	<i>Phleum pratense</i> subsp. <i>pratense</i>	Poaceae	common timothy	*	SE
F H	<i>Phlox pilosa</i> subsp. <i>fulgida</i>	Polemoniaceae	prairie phlox	7	S3
F H	<i>Physalis pumila</i>	Solanaceae	prairie ground-cherry	4	S4
H	<i>Plantago virginica</i>	Plantaginaceae	pale-seed plantain	1	S5
H	<i>Poa compressa</i>	Poaceae	Canadian blue grass	*	SE
H	<i>Poa pratensis</i>	Poaceae	Kentucky blue grass	*	SE
H	<i>Polygala incarnata</i>	Polygalaceae	slender milkwort	8	S4
H	<i>Potentilla recta</i>	Rosaceae	sulfur cinquefoil	*	SE
F H	<i>Potentilla simplex</i>	Rosaceae	old-field cinquefoil	3	S3
H	<i>Prunella vulgaris</i>	Lamiaceae	common selfheal	*	SE
H	<i>Psoralidium tenuiflorum</i>	Fabaceae	narrow-leaf scurf-pea	3	S5
H	<i>Pycnanthemum tenuifolium</i>	Lamiaceae	narrow-leaf mountain-mint	4	S5
H	<i>Ranunculus hispidus</i> var. <i>nitidus</i>	Ranunculaceae	bristly buttercup	6	S2
F H	<i>Ratibida pinnata</i>	Asteraceae	gray-head prairie-coneflower	3	S5
F H	<i>Rhus glabra</i>	Anacardiaceae	smooth sumac	1	S5
H	<i>Rosa arkansana</i>	Rosaceae	Arkansas rose	4	S5
H	<i>Rosa setigera</i>	Rosaceae	prairie rose	3	S4

Fredricks High Prairie Plants June 2011 Sorted by Scientific Name

<u>Prairie</u> Fredricks &/or High	Scientific Name	Family	Common Name	CoC	State Rank
F H	<i>Rubus aboriginum</i>	Rosaceae	one-flower dewberry	5	S3
F H	<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	Asteraceae	black-eyed-Susan	2	S4
H	<i>Rudbeckia subtomentosa</i>	Asteraceae	sweet coneflower	6	S3
F H	<i>Ruellia humilis</i>	Acanthaceae	fringe-leaf ruellia	3	S4
H	<i>Rumex crispus</i>	Polygonaceae	curly dock	*	SE
H	<i>Salix humilis</i> var. <i>humilis</i>	Salicaceae	prairie willow	7	S3
H	<i>Salvia azurea</i>	Lamiaceae	blue sage	4	S5
H	<i>Schedonorus pratensis</i>	Poaceae	meadow mountain-fescue	*	SE
H	<i>Scirpus pendulus</i>	Cyperaceae	drooping bulrush	3	S5
H	<i>Scleria triglomerata</i>	Cyperaceae	whip nut-rush	8	S5
H	<i>Silene antirrhina</i>	Caryophyllaceae	sleep catchfly	0	S5
H	<i>Silphium integrifolium</i> var. <i>integrifolium</i>	Asteraceae	whole-leaf rosinweed	3	S3
H	<i>Silphium integrifolium</i> var. <i>laeve</i>	Asteraceae	showy rosinweed	3	S5
F H	<i>Silphium laciniatum</i>	Asteraceae	compassplant	4	S5
H	<i>Sisyrinchium campestre</i>	Iridaceae	prairie blue-eyed-grass	6	S5
H	<i>Solanum carolinense</i>	Solanaceae	Carolina horse-nettle	1	S5
H	<i>Solidago altissima</i> var. <i>altissima</i>	Asteraceae	Canadian goldenrod	1	S5
H	<i>Solidago rigida</i> var. <i>humilis</i>	Asteraceae	stiff goldenrod	3	S3
H	<i>Sorghastrum nutans</i>	Poaceae	yellow Indian grass	5	S5
F H	<i>Spartina pectinata</i>	Poaceae	prairie cord grass	4	S5
F H	<i>Sporobolus heterolepis</i>	Poaceae	prairie dropseed	8	S2
H	<i>Symphyotrichum ericoides</i> var. <i>ericoides</i>	Asteraceae	heath aster	5	S5
F H	<i>Symphyotrichum laeve</i>	Asteraceae	smooth blue aster	7	S3
H	<i>Symphyotrichum oolentangiense</i>	Asteraceae	azure aster	8	S5
H	<i>Symphyotrichum pilosum</i> var. <i>pilosum</i>	Asteraceae	hairy aster	0	S5
F	<i>Symphyotrichum sericeum</i>	Asteraceae	silky aster	8	S5
H	<i>Toxicodendron radicans</i> subsp. <i>negundo</i>	Anacardiaceae	poison-ivy	0	S5
H	<i>Tradescantia bracteata</i>	Commelinaceae	bracted spiderwort	5	S5
H	<i>Tradescantia ohiensis</i>	Commelinaceae	Ohio spiderwort	5	S5
F H	<i>Tragopogon dubius</i>	Asteraceae	western salsify	*	SE
H	<i>Trifolium campestre</i>	Fabaceae	low hop clover	*	SE
F H	<i>Trifolium pratense</i>	Fabaceae	red clover	*	SE
H	<i>Triodanis perfoliata</i>	Campanulaceae	clasping-leaf Venus'-looking-glass	2	S5
F H	<i>Tripsacum dactyloides</i> var. <i>dactyloides</i>	Poaceae	eastern gamma grass	3	S5
H	<i>Valerianella radiata</i>	Valerianaceae	limestone cornsalad	2	S4
H	<i>Veronicastrum virginicum</i>	Scrophulariaceae	Culver's-root	8	S3
H	<i>Viola pedatifida</i> var. <i>pedatifida</i>	Violaceae	prairie violet	6	S3
H	<i>Viola sororia</i> var. <i>sororia</i>	Violaceae	dowy blue violet	2	S3
H	<i>Vitis riparia</i>	Vitaceae	riverbank grape	2	S5
H	<i>Vitis vulpina</i>	Vitaceae	winter grape	3	S3
H	<i>Zanthoxylum americanum</i>	Rutaceae	common prickly-ash	3	S4
F H	<i>Zizia aurea</i>	Apiaceae	common golden-alexanders	5	S4
State Rank Definitions:					
S1 = critically imperiled in KS; 5 or fewer occurrences					
S2 = imperiled in KS; 6-20 occurrences					
S3 = rare in KS; 21-100 occurrences					
S4 = apparently secure in KS; many occurrences					
S5 = demonstrably secure in KS					
SE = exotic in KS					
SH = of historical occurrence in KS, not seen in 30 years					
SX = apparently extirpated in KS					
SR = reported in KS but without persuasive documentation					
SRF = reported falsely in KS; see "Excluded Taxa" worksheet					