

Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Common Name

Prairie Baker Coblenz Prairie Park	COMMON NAME	FAMILY	SCIENTIFIC NAME	State Rank	CoC
P	Alleghany blackberry	Rosaceae	<i>Rubus allegheniensis</i>	S1	4
B	alsike clover	Fabaceae	<i>Trifolium hybridum</i>	SE	*
C	American bellflower	Campanulaceae	<i>Campanula americana</i>		4
C P	American bittersweet	Celastraceae	<i>Celastrus scandens</i>		4
P	American bluehearts	Orobanchaceae	<i>Buchnera americana</i>	S4	9
P	American burnweed	Asteraceae	<i>Erechtites hieraciifolia</i> var. <i>hieraciifolia</i>		1
P	American dewberry	Rosaceae	<i>Rubus flagellaris</i>		5
B C	American elm	Ulmaceae	<i>Ulmus americana</i>		2
C P	American germander	Lamiaceae	<i>Teucrium canadense</i> var. <i>canadense</i>		1
B C P	American honeysuckle	Adoxaceae	<i>Sambucus canadensis</i>		2
B C	American plum	Rosaceae	<i>Prunus americana</i>		3
B	American pokeweed	Phytolaccaceae	<i>Phytolacca americana</i> var. <i>americana</i>		0
C P	American potato-bean	Fabaceae	<i>Apios americana</i>		6
B	American water-horehound	Lamiaceae	<i>Lycopus americanus</i>		3
B	American water-willow	Acanthaceae	<i>Justicia americana</i>		5
C	Amur honeysuckle	Caprifoliaceae	<i>Lonicera maaackii</i>	SE	*
B C	annual fleabane	Asteraceae	<i>Erigeron annuus</i>		0
B C	annual sumpweed	Asteraceae	<i>Iva annua</i> var. <i>annua</i>		0
C P	Arkansas rose	Rosaceae	<i>Rosa arkansana</i>		4
C	aromatic aster	Asteraceae	<i>Symphotrichum oblongifolium</i>		5
P	ashy sunflower	Asteraceae	<i>Helianthus mollis</i>	S4	7
P	Asiatic dayflower	Commelinaceae	<i>Commelina communis</i>	SE	*
C P	Atlantic camas	Agavaceae	<i>Camassia scilloides</i>	S2	8
C P	azure aster	Asteraceae	<i>Symphotrichum oolentangiense</i>		8
B	bearded sprangletop	Poaceae	<i>Leptochloa fusca</i> subsp. <i>fascicularis</i>		0
C	betony noseburn	Euphorbiaceae	<i>Tragia betonicifolia</i>		5
C	Bicknell's sedge	Cyperaceae	<i>Carex bicknellii</i>	S3	8
B C P	big bluestem	Poaceae	<i>Andropogon gerardii</i>		4
C	big-root morning-glory	Convolvulaceae	<i>Ipomoea pandurata</i>		2
C	big-tree plum	Rosaceae	<i>Prunus mexicana</i>		3
C P	bitter wintercress	Brassicaceae	<i>Barbarea vulgaris</i>	SE	*
P	black cherry	Rosaceae	<i>Prunus serotina</i> var. <i>serotina</i>		3
B	black medic	Fabaceae	<i>Medicago lupulina</i>	SE	*
C	black nightshade	Solanaceae	<i>Solanum ptychanthum</i>		1
B	black walnut	Juglandaceae	<i>Juglans nigra</i>		3
B C	black willow	Salicaceae	<i>Salix nigra</i>		2
B C P	black-eyed-Susan	Asteraceae	<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>		2
B	blue mud-plantain	Pontederiaceae	<i>Heteranthera limosa</i>		5
C P	blue sage	Lamiaceae	<i>Salvia azurea</i>		4
C P	blue vervain	Verbenaceae	<i>Verbena hastata</i>		4
C P	blunt-leaf bedstraw	Rubiaceae	<i>Galium obtusum</i> subsp. <i>obtusum</i>		5
C	blunt-leaf milkweed	Apocynaceae	<i>Asclepias amplexicaulis</i>	S3	7
B	bog yellowcress	Brassicaceae	<i>Rorippa palustris</i> subsp. <i>hispida</i>		2
C P	bottle-brush plantain	Plantaginaceae	<i>Plantago aristata</i>		2
B C	boxelder	Aceraceae	<i>Acer negundo</i> var. <i>negundo</i>		1
C	boxelder	Aceraceae	<i>Acer negundo</i> var. <i>violacea</i>		1
C	bracted spiderwort	Commelinaceae	<i>Tradescantia bracteata</i>		5
C P	bread-root scurf-pea	Fabaceae	<i>Pediomelum esculentum</i>	S5	7
B	bristly greenbrier	Smilacaceae	<i>Smilax hispida</i>		2
B C	broad-leaf arrowhead	Alismataceae	<i>Sagittaria latifolia</i>		4
B	broad-leaf cat-tail	Typhaceae	<i>Typha latifolia</i>		1
B P	broom-sedge bluestem	Poaceae	<i>Andropogon virginicus</i> var. <i>virginicus</i>		0
B	buckbrush	Caprifoliaceae	<i>Symphoricarpos orbiculatus</i>		1
B	bur oak	Fagaceae	<i>Quercus macrocarpa</i>		4
B C	bush wild-indigo	Fabaceae	<i>Amorpha fruticosa</i>		6
C	Bush's sedge	Cyperaceae	<i>Carex bushii</i>		4
P	bushy seedbox	Onagraceae	<i>Ludwigia alternifolia</i>		5
C P	butterfly milkweed	Apocynaceae	<i>Asclepias tuberosa</i> subsp. <i>interior</i>		6
C P	button gayfeather	Asteraceae	<i>Liatris aspera</i>		6
C P	button snake-root eryngo	Apiaceae	<i>Eryngium yuccifolium</i> var. <i>yuccifolium</i>	S4	7
P	Canadian anemone	Ranunculaceae	<i>Anemone canadensis</i>		6
B? C P?	Canadian goldenrod	Asteraceae	<i>Solidago canadensis</i> var. <i>scabra</i>		1

Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Common Name

Prairie Baker Coblenz Prairie Park	COMMON NAME	FAMILY	SCIENTIFIC NAME	State Rank	CoC
B	Canadian onion	Alliaceae	<i>Allium canadense</i> var. <i>canadense</i>		2
C P	Canadian onion	Alliaceae	<i>Allium canadense</i> var. <i>lavendulare</i>		5
C	Canadian tick-clover	Fabaceae	<i>Desmodium canadense</i>	S3	4
B C P	Canadian wild-rye	Poaceae	<i>Elymus canadensis</i> var. <i>canadensis</i>		5
P	Canada lousewort	Orobanchaceae	<i>Pedicularis canadensis</i> subsp. <i>canadensis</i>		7
B C P	Carolina crane's-bill	Geraniaceae	<i>Geranium carolinianum</i>		0
B P	Carolina false-dandelion	Asteraceae	<i>Pyrrhappus carolinianus</i>		1
C P	Carolina horse-nettle	Solanaceae	<i>Solanum carolinense</i>		1
C	Carolina larkspur	Ranunculaceae	<i>Delphinium carolinianum</i> subsp. <i>virescens</i>		6
C	catch-weed bedstraw	Rubiaceae	<i>Galium aparine</i>		0
P	cat-claw mimosa	Fabaceae	<i>Mimosa quadrivalvis</i> var. <i>nuttallii</i>		6
B P	Chinese bristle grass	Poaceae	<i>Setaria faberi</i>	SE	*
C	clasping-leaf horse-gentian	Caprifoliaceae	<i>Triosteum perfoliatum</i>		4
B C P	clasping-leaf Venus'-looking-glass	Campanulaceae	<i>Triodanis perfoliata</i>		2
C	cluster fescue	Poaceae	<i>Festuca paradoxa</i>	S2	7
C	cobaea beardtongue	Plantaginaceae	<i>Penstemon cobaea</i> var. <i>cobaea</i>		5
B P	common barnyard grass	Poaceae	<i>Echinochloa crusgalli</i>	SE	*
C	common catnip	Lamiaceae	<i>Nepeta cataria</i>	SE	*
B	common cocklebur	Asteraceae	<i>Xanthium strumarium</i> var. <i>canadense</i>		0
C	common crown-vetch	Fabaceae	<i>Securigera varia</i>	SE	*
B C P	common dandelion	Asteraceae	<i>Taraxacum officinale</i>	SE	*
B	common evening-primrose	Onagraceae	<i>Oenothera biennis</i>	S2	0
C	common garlic-mustard	Brassicaceae	<i>Alliaria petiolata</i>	SE	*
C P	common golden-alexanders	Apiaceae	<i>Zizia aurea</i>		5
B P	common hedge-bindweed	Convolvulaceae	<i>Calystegia sepium</i> var. <i>angulata</i>		0
B	common honey-locust	Fabaceae	<i>Gleditsia triacanthos</i>		0
P	common hop	Cannabaceae	<i>Humulus lupulus</i> var. <i>pubescens</i>		3
P	common May-apple	Berberidaceae	<i>Podophyllum peltatum</i>		4
C P	common milkweed	Apocynaceae	<i>Asclepias syriaca</i>		1
B	common morning-glory	Convolvulaceae	<i>Ipomoea purpurea</i>	SE	*
B	common orchard grass	Poaceae	<i>Dactylis glomerata</i>	SE	*
P	common ox-eye daisy	Asteraceae	<i>Leucanthemum vulgare</i>	SE	*
C P	common ragweed	Asteraceae	<i>Ambrosia artemisiifolia</i>		0
C P	common selfheal	Lamiaceae	<i>Prunella vulgaris</i>	SE	*
B	common shepherd's-purse	Brassicaceae	<i>Capsella bursa-pastoris</i>	SE	*
C P	common St. John's-wort	Hypericaceae	<i>Hypericum perforatum</i>	SE	*
B C P	common sunflower	Asteraceae	<i>Helianthus annuus</i>		0
B	common sycamore	Platanaceae	<i>Platanus occidentalis</i>		4
P	common timothy	Poaceae	<i>Phleum pratense</i> subsp. <i>pratense</i>	SE	*
B C P	common trumpet-creeper	Bignoniaceae	<i>Campsis radicans</i>	SE	*
B	common velvetleaf	Malvaceae	<i>Abutilon theophrasti</i>	SE	*
B? C P?	common witch grass	Poaceae	<i>Panicum capillare</i> var. <i>capillare</i>		0
C P	compassplant	Asteraceae	<i>Silphium laciniatum</i>		4
B C P	coreopsis beggar-ticks	Asteraceae	<i>Bidens aristosus</i> var. <i>retrorsus</i>		1
C	creeping bent grass	Poaceae	<i>Agrostis stolonifera</i>	SE	*
C P	Culver's-root	Plantaginaceae	<i>Veronicastrum virginicum</i>		8
C	cup rosinweed	Asteraceae	<i>Silphium perfoliatum</i> var. <i>perfoliatum</i>		3
B C	curly dock	Polygonaceae	<i>Rumex crispus</i>	SE	*
B C	cursed crowfoot	Ranunculaceae	<i>Ranunculus sceleratus</i> var. <i>sceleratus</i>		0
B	cut-leaf ground-cherry	Solanaceae	<i>Physalis angulata</i> var. <i>angulata</i>		4
B C P	daisy fleabane	Asteraceae	<i>Erigeron strigosus</i> var. <i>strigosus</i>		4
C	Deptford pink	Caryophyllaceae	<i>Dianthus armeria</i>	SE	*
P	Dillen's tick-clover	Fabaceae	<i>Desmodium perplexum</i>		5
B C	ditch-stonecrop	Penthoraceae	<i>Penthorum sedoides</i>		3
B	downy brome	Poaceae	<i>Bromus tectorum</i>	SE	*
C P	downy gentian	Gentianaceae	<i>Gentiana puberulenta</i>	S3	8
C	downy goldenrod	Asteraceae	<i>Solidago petiolaris</i> var. <i>petiolaris</i>	S4	7
C	downy hawthorn	Rosaceae	<i>Crataegus mollis</i>		4
P	downy yellow violet	Violaceae	<i>Viola pubescens</i> var. <i>pubescens</i>		5
B P	downy yellow violet	Violaceae	<i>Viola sororia</i> var. <i>missouriensis</i>		2
C	dowy blue violet	Violaceae	<i>Viola sororia</i> var. <i>sororia</i>		2
P	dragonroot Jack-in-the-pulpit	Araceae	<i>Arisaema dracontium</i>	S3	7

Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Common Name

Prairie Baker Coblenz Prairie Park	COMMON NAME	FAMILY	SCIENTIFIC NAME	State Rank	CoC
B C P	drooping bulrush	Cyperaceae	<i>Scirpus pendulus</i>		3
C	Drummond's aster	Asteraceae	<i>Symphotrichum drummondii</i> subsp. <i>drummondii</i>		2
B	Dudley's rush	Juncaceae	<i>Juncus dudleyi</i>		3
P	dwarf sumac	Anacardiaceae	<i>Rhus copallina</i>		3
C P	eastern brickellbush	Asteraceae	<i>Brickellia eupatorioides</i> var. <i>corymbulosa</i>		2
C	eastern dotted gayfeather	Asteraceae	<i>Liatris mucronata</i>		5
B C P	eastern gamma grass	Poaceae	<i>Tripsacum dactyloides</i> var. <i>dactyloides</i>		3
B C P	eastern red-cedar	Cupressaceae	<i>Juniperus virginiana</i> var. <i>virginiana</i>		1
B C	eyebane	Euphorbiaceae	<i>Chamaesyce nutans</i>		0
B	fall panicum	Poaceae	<i>Panicum dichotomiflorum</i> var. <i>dichotomiflorum</i>		0
C P	fall witch grass	Poaceae	<i>Digitaria cognata</i> subsp. <i>cognata</i>		3
C	false golden ragwort	Asteraceae	<i>Packera pseudoaurea</i> var. <i>semicordata</i>	S2	7
B	false nut-sedge	Cyperaceae	<i>Cyperus strigosus</i>		4
B	false-pimpernel	Linderniaceae	<i>Lindernia dubia</i> var. <i>dubia</i>		4
C	fennel-leaf desert-parsley	Apiaceae	<i>Lomatium foeniculaceum</i> var. <i>daucifolium</i>		6
B	festival sedge	Cyperaceae	<i>Carex tribuloides</i> var. <i>tribuloides</i>	S1	4
B	field bindweed	Convolvulaceae	<i>Convolvulus arvensis</i>	SE	*
B C	field pennycress	Brassicaceae	<i>Thlaspi arvense</i>	SE	*
C P	field pussy's-toes	Asteraceae	<i>Antennaria neglecta</i>		2
C P	finger coreopsis	Asteraceae	<i>Coreopsis palmata</i>	S4	7
C P	flannel mullein	Scrophulariaceae	<i>Verbascum thapsus</i>	SE	*
B? C	flat-stem spike-rush	Cyperaceae	<i>Eleocharis compressa</i> var. <i>acutisquamata</i>		6
B	floating seedbox	Onagraceae	<i>Ludwigia peploides</i> subsp. <i>glabrescens</i>		3
C P	flowering spurge	Euphorbiaceae	<i>Euphorbia corollata</i>		5
B	flower-of-an-hour	Malvaceae	<i>Hibiscus trionum</i>	SE	*
C	forest bedstraw	Rubiaceae	<i>Galium circaezans</i>		3
C	forked nailwort	Caryophyllaceae	<i>Paronychia fastigiata</i> var. <i>fastigiata</i>		5
B C	fox sedge	Cyperaceae	<i>Carex vulpinoidea</i>		3
B	fox-tail barley	Poaceae	<i>Hordeum jubatum</i> subsp. <i>jubatum</i>		1
C P	fragrant false-cudweed	Asteraceae	<i>Pseudognaphalium obtusifolium</i>		0
C	fragrant sumac	Anacardiaceae	<i>Rhus aromatica</i> var. <i>aromatica</i>		3
B	Frank's sedge	Cyperaceae	<i>Carex frankii</i>		4
C P	fringed loosestrife	Primulaceae	<i>Lysimachia ciliata</i>		6
C P	fringe-leaf ruellia	Acanthaceae	<i>Ruellia humilis</i>		3
B C	garden asparagus	Asparagaceae	<i>Asparagus officinalis</i>	SE	*
B	Georgia bulrush	Cyperaceae	<i>Scirpus georgianus</i>		4
B	giant bur-reed	Sparganiaceae	<i>Sparganium eurycarpum</i>		5
B C P	giant ragweed	Asteraceae	<i>Ambrosia trifida</i>		0
C P?	gray goldenrod	Asteraceae	<i>Solidago nemoralis</i> subsp. <i>nemoralis</i>		2
B C P	gray-green wood-sorrel	Oxalidaceae	<i>Oxalis dillenii</i> subsp. <i>dillenii</i>		0
B C	gray-head prairie-coneflower	Asteraceae	<i>Ratibida pinnata</i>		3
B	green ash	Oleaceae	<i>Fraxinus pennsylvanica</i>		0
B	green bristle grass	Poaceae	<i>Setaria viridis</i> var. <i>viridis</i>	SE	*
B C	green bulrush	Cyperaceae	<i>Scirpus atrovirens</i>		4
B	green carpetweed	Molluginaceae	<i>Mollugo verticillata</i>	SE	*
C	green milkweed	Apocynaceae	<i>Asclepias viridiflora</i>		6
C P	grooved flax	Linaceae	<i>Linum sulcatum</i> var. <i>sulcatum</i>		6
C	ground-plum milk-vetch	Fabaceae	<i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i>		7
C	hairy aster	Asteraceae	<i>Symphotrichum pilosum</i> var. <i>pilosus</i>		0
P	hairy crab grass	Poaceae	<i>Digitaria sanguinalis</i>	SE	*
C	hairy evening-primrose	Onagraceae	<i>Oenothera villosa</i> subsp. <i>villosa</i>		0
C	hairy rockcress	Brassicaceae	<i>Arabis hirsuta</i> var. <i>pycnocarpa</i>	S1	5
C P	hairy yellow star-lily	Hypoxidaceae	<i>Hypoxis hirsuta</i>		5
B	halberd-leaf rose-mallow	Malvaceae	<i>Hibiscus laevis</i>		3
C	heart-leaf raccoon-grape	Vitaceae	<i>Ampelopsis cordata</i>		2
B C P	heath aster	Asteraceae	<i>Symphotrichum ericoides</i> subsp. <i>ericoides</i>		5
C	heavy sedge	Cyperaceae	<i>Carex gravida</i>		4
B C P	hemp dogbane	Apocynaceae	<i>Apocynum cannabinum</i>		0
C	hen-bit dead-nettle	Lamiaceae	<i>Lamium amplexicaule</i> var. <i>amplexicaule</i>	SE	*
C P	hoary gromwell	Boraginaceae	<i>Lithospermum canescens</i>		7
C	hoary vervain	Verbenaceae	<i>Verbena stricta</i>		1
B C	Illinois bundle-flower	Fabaceae	<i>Desmanthus illinoensis</i>		2

Plants at Baker Restoration, Coblentz Prairie, Prairie Park Sorted by Common Name

Prairie Baker Coblentz Prairie Park	COMMON NAME	FAMILY	SCIENTIFIC NAME	State Rank	CoC
C P	Illinois tick-clover	Fabaceae	<i>Desmodium illinoense</i>		5
B	Indian goose grass	Poaceae	<i>Eleusine indica</i>	SE	*
P	Indian Jack-in-the-pulpit	Araceae	<i>Arisaema triphyllum subsp. triphyllum</i>		6
P	inland ceanothus	Rhamnaceae	<i>Ceanothus herbaceus</i>		8
C P	inland rush	Juncaceae	<i>Juncus interior</i>		2
B	ivy-leaf morning-glory	Convolvulaceae	<i>Ipomoea hederacea</i>	SE	*
B	Japanese brome	Poaceae	<i>Bromus japonicus</i>	SE	*
B P	Japanese honeysuckle	Caprifoliaceae	<i>Lonicera japonica</i>	SE	*
C	Japanese hop	Cannabaceae	<i>Humulus japonicus</i>	SE	*
B C	Jerusalem-artichoke sunflower	Asteraceae	<i>Helianthus tuberosus</i>		2
C	Johnny-jump-up	Violaceae	<i>Viola bicolor</i>		0
B	Johnson grass	Poaceae	<i>Sorghum halepense</i>	SE	*
B	jumpseed	Polygonaceae	<i>Polygonum virginianum</i>		2
B C P	Kentucky blue grass	Poaceae	<i>Poa pratensis</i>	SE	*
B C P	Korean low bush-clover	Fabaceae	<i>Kummerowia stipulacea</i>	SE	*
B	lamb's-quarters goosefat	Amaranthaceae	<i>Chenopodium album</i>	S2	0
B?	lance-leaf aster	Asteraceae	<i>Symphotrichum lanceolatum var. interior</i>		3
C	lance-leaf sage	Lamiaceae	<i>Salvia reflexa</i>		1
C	large-flower butterfly-weed	Onagraceae	<i>Gaura longiflora</i>		2
C	large-flower tick-clover	Fabaceae	<i>Desmodium glutinosum</i>		3
B	large-spike spike-rush	Cyperaceae	<i>Eleocharis macrostachya</i>		3
C	late goldenrod	Asteraceae	<i>Solidago gigantea</i>		3
B C P	leadplant	Fabaceae	<i>Amorpha canescens</i>		7
C	Leiberg's dichantherium	Poaceae	<i>Dichantherium leibergii</i>		10
C	limestone adder's-tongue	Ophioglossaceae	<i>Ophioglossum engelmannii</i>		3
B	limestone cornsalad	Valerianaceae	<i>Valerianella radiata</i>		2
B	little barley	Poaceae	<i>Hordeum pusillum</i>		0
B C	little bluestem	Poaceae	<i>Schizachyrium scoparium subsp. scoparium</i>		5
C P	long-beard hawkweed	Asteraceae	<i>Hieracium longipilum</i>		5
C	long-leaf dichantherium	Poaceae	<i>Dichantherium perlongum</i>		7
C P	Louisiana sagewort	Asteraceae	<i>Artemisia ludoviciana subsp. ludoviciana</i>		2
C	low cudweed	Asteraceae	<i>Gnaphalium uliginosum</i>	SE	*
C	low sedge	Cyperaceae	<i>Carex umbellata</i>	S3	7
C	Mann's bush-clover	Fabaceae	<i>Lespedeza xmanniana</i>	S1	hybrid
B C	Maryland senna	Fabaceae	<i>Senna marilandica</i>		3
C	Maximilian's sunflower	Asteraceae	<i>Helianthus maximilianii</i>		3
C	Mead's milkweed	Apocynaceae	<i>Asclepias meadii</i>	S2	10
C	Mead's sedge	Cyperaceae	<i>Carex meadii</i>		7
P	Michigan lily	Liliaceae	<i>Lilium michiganense</i>	S3	8
B C	mild water-pepper smartweed	Polygonaceae	<i>Persicaria hydropiperoides</i>		4
C	Missouri evening-primrose	Onagraceae	<i>Oenothera macrocarpa subsp. macrocarpa</i>		5
C	Missouri goldenrod	Asteraceae	<i>Solidago missouriensis</i>		5
B	Missouri gooseberry	Grossulariaceae	<i>Ribes missouriense</i>		3
B	Missouri sedge	Cyperaceae	<i>Carex missouriensis</i>	S1	7
C P	multiflora rose	Rosaceae	<i>Rosa multiflora</i>	SE	*
B	narrow-leaf cat-tail	Typhaceae	<i>Typha angustifolia</i>		0
C	narrow-leaf milkweed	Apocynaceae	<i>Asclepias stenophylla</i>		7
C P	narrow-leaf mountain-mint	Lamiaceae	<i>Pycnanthemum tenuifolium</i>		4
C P	narrow-leaf scurf-pea	Fabaceae	<i>Psoralidium tenuiflorum</i>		3
C P	nettle-leaf vervain	Verbenaceae	<i>Verbena urticifolia</i>		2
B	northern water-plantain	Alismataceae	<i>Alisma triviale</i>		4
C	nursling highbush blackberry	Rosaceae	<i>Rubus alumnus</i>	S1	4
C P	Nuttall's prairie-parsley	Apiaceae	<i>Polytaenia nuttallii</i>		6
P	Ohio spiderwort	Commelinaceae	<i>Tradescantia ohioensis</i>		5
C P	old-field cinquefoil	Rosaceae	<i>Potentilla simplex</i>		3
P	old-field threeawn	Poaceae	<i>Aristida oligantha</i>		0
C	one-flower dewberry	Rosaceae	<i>Rubus aboriginum</i>		5
C	one-seed croton	Euphorbiaceae	<i>Croton monanthogynus</i>		1
B	Osage-orange	Moraceae	<i>Maclura pomifera</i>	SE	*
B C	pale dock	Polygonaceae	<i>Rumex altissimus</i>		0
C P	pale Indian-plantain	Asteraceae	<i>Arnoglossum atriplicifolium</i>		3
C P	pale purple-coneflower	Asteraceae	<i>Echinacea pallida</i>	S5	7

Plants at Baker Restoration, Coblentz Prairie, Prairie Park Sorted by Common Name

Prairie Baker Coblentz Prairie Park	COMMON NAME	FAMILY	SCIENTIFIC NAME	State Rank	CoC
B	pale smartweed	Polygonaceae	<i>Persicaria lapathifolia</i>		2
B	paleseed	Plantaginaceae	<i>Leucospora multifida</i>		0
C P	pale-seed plantain	Plantaginaceae	<i>Plantago virginica</i>		1
C P	pale-spike lobelia	Campanulaceae	<i>Lobelia spicata</i> var. <i>leptostachys</i>		6
C	pasture rose	Rosaceae	<i>Rosa carolina</i> var. <i>carolina</i>	S3	5
B	Pennsylvania bittercress	Brassicaceae	<i>Cardamine pennsylvanica</i>		4
B	Pennsylvania smartweed	Polygonaceae	<i>Persicaria pennsylvanica</i>		2
C	pest sedge	Cyperaceae	<i>Carex molesta</i>		4
C	Philadelphia fleabane	Asteraceae	<i>Erigeron philadelphicus</i> var. <i>philadelphicus</i>		3
B	pin oak	Fagaceae	<i>Quercus palustris</i>	S3	3
B C	pinnate tansy-mustard	Brassicaceae	<i>Descurainia pinnata</i> subsp. <i>brachycarpa</i>		1
B	pit-seed goosefoot	Amaranthaceae	<i>Chenopodium berlandieri</i> var. <i>zschackii</i>		0
B	plains coreopsis	Asteraceae	<i>Coreopsis tinctoria</i> var. <i>tinctoria</i>		1
B C	plains cottonwood	Salicaceae	<i>Populus deltoides</i> subsp. <i>monilifera</i>		0
C P	plains gromwell	Boraginaceae	<i>Lithospermum incisum</i>		5
C P	plains wild-indigo	Fabaceae	<i>Baptisia bracteata</i> var. <i>leucophaea</i>		6
C P	plains yellow evening-primrose	Onagraceae	<i>Calylophus serrulatus</i>		5
B	pleat-leaf knotweed	Polygonaceae	<i>Polygonum tenue</i>		6
C P?	pointed dichantherium	Poaceae	<i>Dichantherium acuminatum</i> var. <i>implicatum</i>		3
B C P	poison-ivy	Anacardiaceae	<i>Toxicodendron radicans</i> subsp. <i>negundo</i>		0
C P	porcupine grass	Poaceae	<i>Hesperostipa spartea</i>	S4	8
B	poverty dropseed	Poaceae	<i>Sporobolus vaginiflorus</i>		0
C P	prairie blue-eyed-grass	Iridaceae	<i>Sisyrinchium campestre</i>		6
P	prairie cord grass	Poaceae	<i>Spartina pectinata</i>		4
C P	prairie dropseed	Poaceae	<i>Sporobolus heterolepis</i>	S2	8
P	prairie fawn-lily	Liliaceae	<i>Erythronium mesochoreum</i>		7
C P	prairie June grass	Poaceae	<i>Koeleria macrantha</i>		6
C	prairie pepper-grass	Brassicaceae	<i>Lepidium densiflorum</i> var. <i>densiflorum</i>		0
C P	prairie phlox	Polemoniaceae	<i>Phlox pilosa</i> subsp. <i>fulgida</i>	S3	7
C	prairie ragwort	Asteraceae	<i>Packera plattensis</i>		5
C P	prairie rose	Rosaceae	<i>Rosa setigera</i> var. <i>setigera</i>		3
C P	prairie violet	Violaceae	<i>Viola pedatifida</i> var. <i>pedatifida</i>		6
B C P	prickly lettuce	Asteraceae	<i>Lactuca serriola</i>	SE	*
B	prickly sida	Malvaceae	<i>Sida spinosa</i>	SE	*
B	prostrate knotweed	Polygonaceae	<i>Polygonum aviculare</i>	SE	*
C	purple dead-nettle	Lamiaceae	<i>Lamium purpureum</i> var. <i>purpureum</i>	SE	*
P	purple love grass	Poaceae	<i>Eragrostis spectabilis</i>		3
P	purple milkweed	Apocynaceae	<i>Asclepias purpurascens</i>		6
B C P	purple prairie-clover	Fabaceae	<i>Dalea purpurea</i> var. <i>purpurea</i>	S5	7
B	purple toothcup	Lythraceae	<i>Ammannia coccinea</i>		2
B?	purslane speedwell	Plantaginaceae	<i>Veronica peregrina</i> subsp. <i>peregrina</i>		0
B? C	purslane speedwell	Plantaginaceae	<i>Veronica peregrina</i> subsp. <i>xalapensis</i>		0
B	red clover	Fabaceae	<i>Trifolium pratense</i>	SE	*
B	red mulberry	Moraceae	<i>Morus rubra</i>		5
B	red sprangletop	Poaceae	<i>Leptochloa panicea</i> subsp. <i>mucronata</i>		0
B	rice cut grass	Poaceae	<i>Leersia oryzoides</i> var. <i>oryzoides</i>		4
C	river tuberous-bulrush	Cyperaceae	<i>Bolboschoenus fluviatilis</i>		5
B P	riverbank grape	Vitaceae	<i>Vitis riparia</i>		2
C	rose vervain	Verbenaceae	<i>Glandularia canadensis</i>		3
P	rough rattlesnake-root	Asteraceae	<i>Prenanthes aspera</i>	S3	8
B	rough-leaf dogwood	Cornaceae	<i>Cornus drummondii</i>		1
C P	round-head bush-clover	Fabaceae	<i>Lespedeza capitata</i>		6
C	round-head prairie-clover	Fabaceae	<i>Dalea multiflora</i>		7
B	round-leaf mat-spurge	Euphorbiaceae	<i>Chamaesyce serpens</i>		0
B	round-leaf water-hyssop	Plantaginaceae	<i>Bacopa rotundifolia</i>		4
C	savannah sedge	Cyperaceae	<i>Carex mesochorea</i>	S2	5
B C P	saw-tooth sunflower	Asteraceae	<i>Helianthus grosseserratus</i>		4
C P	Scribner's dichantherium	Poaceae	<i>Dichantherium oligosanthes</i> var. <i>scribnerianum</i>		4
B C	sericea bush-clover	Fabaceae	<i>Lespedeza cuneata</i>	SE	*
C P	sessile-leaf tickclover	Fabaceae	<i>Desmodium sessilifolium</i>	S5	7
B C P	short-beak sedge	Cyperaceae	<i>Carex brevior</i>		5
B C P	showy partridgepea	Fabaceae	<i>Chamaecrista fasciculata</i>		2

Plants at Baker Restoration, Coblentz Prairie, Prairie Park Sorted by Common Name

Prairie Baker Coblentz Prairie Park	COMMON NAME	FAMILY	SCIENTIFIC NAME	State Rank	CoC
C	showy rosinweed	Asteraceae	<i>Silphium integrifolium</i> var. <i>laeve</i>		3
C	showy white evening-primrose	Onagraceae	<i>Oenothera speciosa</i>		2
C P	showy-wand goldenrod	Asteraceae	<i>Solidago speciosa</i> var. <i>rigiduscula</i>	S3	7
C	Siberian elm	Ulmaceae	<i>Ulmus pumila</i>	SE	*
B C P	side-oats grama	Poaceae	<i>Bouteloua curtipendula</i> var. <i>curtipendula</i>		5
B	silver maple	Aceraceae	<i>Acer saccharinum</i>		2
B C	sleep catchfly	Caryophyllaceae	<i>Silene antirrhina</i>		0
C	slender bush-clover	Fabaceae	<i>Lespedeza virginica</i>		5
C	slender fumewort	Fumariaceae	<i>Corydalis micrantha</i> subsp. <i>micrantha</i>		0
P	slender milkwort	Polygalaceae	<i>Polygala incarnata</i>	S4	8
C	slender wedgescale	Poaceae	<i>Sphenopholis obtusata</i> var. <i>major</i>		6
C	slender-fruit Venus'-looking-glass	Campanulaceae	<i>Triodanis leptocarpa</i>		3
C P	slender-stem flat-sedge	Cyperaceae	<i>Cyperus lupulinus</i> subsp. <i>lupulinus</i>		3
C	slim-leaf dichanthelium	Poaceae	<i>Dichanthelium linearifolium</i>		7
P	slippery elm	Ulmaceae	<i>Ulmus rubra</i>		3
C	small bluet	Rubiaceae	<i>Houstonia pusilla</i>		1
C	small-flower agrimony	Rosaceae	<i>Agrimonia parviflora</i>		4
C	small-flower bittercress	Brassicaceae	<i>Cardamine parviflora</i> var. <i>arenicola</i>		2
C P	smooth brome	Poaceae	<i>Bromus inermis</i>	SE	*
P	smooth milkweed	Apocynaceae	<i>Asclepias sullivantii</i>		5
B C P	smooth sumac	Anacardiaceae	<i>Rhus glabra</i>		1
B C	smooth swallow-wort	Asclepiadaceae	<i>Cynanchum laeve</i>		0
C	snow-on-the-mountain	Euphorbiaceae	<i>Euphorbia marginata</i>		0
C	soft-stem twine-bulrush	Cyperaceae	<i>Schoenoplectus tabernaemontani</i>		4
C	southern slender ladies'-tresses	Orchidaceae	<i>Spiranthes lacera</i> var. <i>gracilis</i>		6
C P?	southern small skullcap	Lamiaceae	<i>Scutellaria parvula</i> var. <i>australis</i>		5
C P	spider milkweed	Apocynaceae	<i>Asclepias viridis</i>		1
B P	spotted mat-spurge	Euphorbiaceae	<i>Chamaesyce maculata</i>		0
C	spotted St. John's-wort	Hypericaceae	<i>Hypericum punctatum</i>		6
C P	spotted water-hemlock	Apiaceae	<i>Cicuta maculata</i> var. <i>maculata</i>		5
C	spring forget-me-not	Boraginaceae	<i>Myosotis verna</i>		2
C	spring ladies'-tresses	Orchidaceae	<i>Spiranthes vernalis</i>	S4	8
C	starry catchfly	Caryophyllaceae	<i>Silene stellata</i>		5
C P	sticky euthamia	Asteraceae	<i>Euthamia gymnospermoides</i>		3
C P	stiff goldenrod	Asteraceae	<i>Solidago rigida</i> subsp. <i>rigida</i>		3
C P	stiff sunflower	Asteraceae	<i>Helianthus pauciflorus</i> var. <i>pauciflorus</i>		5
B	sugar maple	Aceraceae	<i>Acer saccharum</i> subsp. <i>saccharum</i>		6
C	sulfur cinquefoil	Rosaceae	<i>Potentilla recta</i>	SE	*
C	sun sedge	Cyperaceae	<i>Carex inops</i> subsp. <i>heliophila</i>	S3	8
B	swamp milkweed	Apocynaceae	<i>Asclepias incarnata</i> subsp. <i>incarnata</i>		4
B	swamp smartweed	Polygonaceae	<i>Persicaria amphibia</i>		2
P	sweet coneflower	Asteraceae	<i>Rudbeckia subtomentosa</i>		6
B C P	switch grass	Poaceae	<i>Panicum virgatum</i> var. <i>virgatum</i>		4
C	tall anemone	Ranunculaceae	<i>Anemone virginiana</i> var. <i>virginiana</i>		4
C P	tall cinquefoil	Rosaceae	<i>Potentilla arguta</i> var. <i>arguta</i>		6
B C P	tall horseweed	Asteraceae	<i>Conyza canadensis</i>		0
C	tall joe-pye-weed	Asteraceae	<i>Eupatorium altissimum</i>		2
C	tall purple-coneflower	Asteraceae	<i>Echinacea atrorubens</i>	S3	8
B	tall rye grass	Poaceae	<i>Lolium arundinaceum</i>	SE	*
C P	tall snakeroot	Asteraceae	<i>Ageratina altissima</i>		1
B C P	tall thistle	Asteraceae	<i>Cirsium altissimum</i>		2
B	tall water-hemp	Amaranthaceae	<i>Amaranthus tuberculatus</i>		0
B	tape-leaf flat-sedge	Cyperaceae	<i>Cyperus acuminatus</i>		0
B C P	thick-spike gayfeather	Asteraceae	<i>Liatris pycnostachya</i>	S4	7
P?	thin paspalum	Poaceae	<i>Paspalum setaceum</i> var. <i>muhlenbergii</i>		2
B C	thyme-leaf sandwort	Caryophyllaceae	<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	SE	*
B	Torrey's rush	Juncaceae	<i>Juncus torreyi</i>		2
C	tower rockcress	Brassicaceae	<i>Turritis glabra</i>	SE	*
C	tube beardtongue	Plantaginaceae	<i>Penstemon tubaeformis</i>		3
C	tuberous Indian-plantain	Asteraceae	<i>Arnoglossum plantagineum</i>		6
C P	umbellate bastard toad-flax	Santalaceae	<i>Comandra umbellata</i> subsp. <i>umbellata</i>		6
C	upright prairie-coneflower	Asteraceae	<i>Ratibida columnifera</i>		4

Plants at Baker Restoration, Coblentz Prairie, Prairie Park Sorted by Common Name

Prairie Baker Coblentz Prairie Park	COMMON NAME	FAMILY	SCIENTIFIC NAME	State Rank	CoC
P	velvet butterfly-weed	Onagraceae	<i>Gaura parviflora</i>		1
C P	violet bush-clover	Fabaceae	<i>Lespedeza violacea</i>		5
C P	violet wood-sorrel	Oxalidaceae	<i>Oxalis violacea</i>		4
C P	Virginia copperleaf	Euphorbiaceae	<i>Acalypha virginica</i>		0
B C P	Virginia creeper	Vitaceae	<i>Parthenocissus quinquefolia var. quinquefolia</i>		1
C	Virginia ground-cherry	Solanaceae	<i>Physalis virginiana</i>	S3	6
P	Virginia hoary-pea	Fabaceae	<i>Tephrosia virginiana</i>	S4	7
B P	Virginia pepper-grass	Brassicaceae	<i>Lepidium virginicum var. virginicum</i>		0
P	Virginia water-horehound	Lamiaceae	<i>Lycopus virginicus</i>		5
C	Virginia wild-rye	Poaceae	<i>Elymus virginicus var. virginicus</i>		3
C	wavy-leaf false-dandelion	Asteraceae	<i>Nothocalais cuspidata</i>	S3	7
C	wavy-leaf thistle	Asteraceae	<i>Cirsium undulatum var. undulatum</i>		4
C	wedge-leaf draba	Brassicaceae	<i>Draba cuneifolia var. cuneifolia</i>		3
B	weeping willow	Salicaceae	<i>Salix babylonica</i>	SE	*
B	western dwarf-dandelion	Asteraceae	<i>Krigia occidentalis</i>	S1	7
C P	western ironweed	Asteraceae	<i>Vernonia baldwinii subsp. interior</i>		2
B C P	western ragweed	Asteraceae	<i>Ambrosia psilostachya</i>		3
C	western rock-jasmine	Primulaceae	<i>Androsace occidentalis</i>		0
B	western salsify	Asteraceae	<i>Tragopogon dubius</i>	SE	*
C P	western yarrow	Asteraceae	<i>Achillea millefolium subsp. lanulosa</i>		1
C P	whip nut-rush	Cyperaceae	<i>Scleria triglomerata</i>	S5	8
B	white clover	Fabaceae	<i>Trifolium repens</i>	SE	*
C	white four-o'clock	Nyctaginaceae	<i>Mirabilis albidia</i>		5
B	white morning-glory	Convolvulaceae	<i>Ipomoea lacunosa</i>		0
B C P	white prairie-clover	Fabaceae	<i>Dalea candida var. candida</i>		7
B C	white sweet-clover	Fabaceae	<i>Melilotus albus</i>	SE	*
C P	white wild-indigo	Fabaceae	<i>Baptisia alba var. macrophylla</i>		5
P	whole-leaf rosinweed	Asteraceae	<i>Silphium integrifolium var. integrifolium</i>		3
C	whorled milkweed	Apocynaceae	<i>Asclepias verticillata</i>		1
C	whorled milkwort	Polygalaceae	<i>Polygala verticillata</i>		3
B	whorled windmill grass	Poaceae	<i>Chloris verticillata</i>		0
B C	wild bergamot bee-balm	Lamiaceae	<i>Monarda fistulosa var. fistulosa</i>		3
B C	wild four-o'clock	Nyctaginaceae	<i>Mirabilis nyctaginea</i>		0
C P	willow-leaf aster	Asteraceae	<i>Symphotrichum praealtum var. praealtum</i>		3
B C	winged loosestrife	Lythraceae	<i>Lythrum alatum var. alatum</i>		4
C P	winter bent grass	Poaceae	<i>Agrostis hyemalis</i>		2
B	Wolf's spike-rush	Cyperaceae	<i>Eleocharis wolfii</i>	S1	5
C P	woodland strawberry	Rosaceae	<i>Fragaria virginiana subsp. grayana</i>		2
C	woolly croton	Euphorbiaceae	<i>Croton capitatus var. capitatus</i>		1
B	woolly rose-mallow	Malvaceae	<i>Hibiscus moscheutos subsp. moscheutos</i>	S2	4
C	woolly sedge	Cyperaceae	<i>Carex pellita</i>		5
B C	yellow bristle grass	Poaceae	<i>Setaria pumila</i>	SE	*
C	yellow false-garlic	Alliaceae	<i>Nothoscordum bivalve</i>		3
B C P	yellow Indian grass	Poaceae	<i>Sorghastrum nutans</i>		5
B	yellow nut-sedge	Cyperaceae	<i>Cyperus esculentus</i>		0
B C	yellow sweet-clover	Fabaceae	<i>Melilotus officinalis</i>	SE	*
P	yellow-fruit sedge	Cyperaceae	<i>Carex brachyglossa</i>		5
B P	yerba de tajo	Asteraceae	<i>Eclipta prostrata</i>		3

State Rank Definitions:

S1 = critically imperiled in KS; 5 or fewer occurrences

S2 = imperiled in KS; 6-20 occurrences

S3 = rare in KS; 21-100 occurrences

S4 = apparently secure in KS; many occurrences

S5 = demonstrably secure in KS

SE = exotic in KS

SH = of historical occurrence in KS, not seen in 30 years

SX = apparently extirpated in KS

SR = reported in KS but without persuasive documentation

SRF = reported falsely in KS; see "Excluded Taxa" worksheet