

## Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Family Name

Prairie Baker Coblenz Prairie Park	FAMILY	SCIENTIFIC NAME	COMMON NAME	State Rank	CoC
B	Acanthaceae	<i>Justicia americana</i>	American water-willow		5
C P	Acanthaceae	<i>Ruellia humilis</i>	fringe-leaf ruellia		3
B C	Aceraceae	<i>Acer negundo</i> var. <i>negundo</i>	boxelder		1
C	Aceraceae	<i>Acer negundo</i> var. <i>violacea</i>	boxelder		1
B	Aceraceae	<i>Acer saccharinum</i>	silver maple		2
B	Aceraceae	<i>Acer saccharum</i> subsp. <i>saccharum</i>	sugar maple		6
B C P	Adoxaceae	<i>Sambucus canadensis</i>	American honeysuckle		2
C P	Agavaceae	<i>Camassia scilloides</i>	Atlantic camas	S2	8
B	Alismataceae	<i>Alisma triviale</i>	northern water-plantain		4
B C	Alismataceae	<i>Sagittaria latifolia</i>	broad-leaf arrowhead		4
B	Alliaceae	<i>Allium canadense</i> var. <i>canadense</i>	Canadian onion		2
C P	Alliaceae	<i>Allium canadense</i> var. <i>lavendulare</i>	Canadian onion		5
C	Alliaceae	<i>Nothoscordum bivalve</i>	yellow false-garlic		3
B	Amaranthaceae	<i>Amaranthus tuberculatus</i>	tall water-hemp		0
B	Amaranthaceae	<i>Chenopodium album</i>	lamb's-quarters goosefat	S2	0
B	Amaranthaceae	<i>Chenopodium berlandieri</i> var. <i>zschackii</i>	pit-seed goosefoot		0
C	Anacardiaceae	<i>Rhus aromatica</i> var. <i>aromatica</i>	fragrant sumac		3
P	Anacardiaceae	<i>Rhus copallina</i>	dwarf sumac		3
B C P	Anacardiaceae	<i>Rhus glabra</i>	smooth sumac		1
B C P	Anacardiaceae	<i>Toxicodendron radicans</i> subsp. <i>negundo</i>	poison-ivy		0
C P	Apiaceae	<i>Cicuta maculata</i> var. <i>maculata</i>	spotted water-hemlock		5
C P	Apiaceae	<i>Eryngium yuccifolium</i> var. <i>yuccifolium</i>	button snake-root eryngo	S4	7
C	Apiaceae	<i>Lomatium foeniculaceum</i> var. <i>daucifolium</i>	fennel-leaf desert-parsley		6
C P	Apiaceae	<i>Polytaenia nuttallii</i>	Nuttall's prairie-parsley		6
C P	Apiaceae	<i>Zizia aurea</i>	common golden-alexanders		5
B C P	Apocynaceae	<i>Apocynum cannabinum</i>	hemp dogbane		0
C	Apocynaceae	<i>Asclepias amplexicaulis</i>	blunt-leaf milkweed	S3	7
B	Apocynaceae	<i>Asclepias incarnata</i> subsp. <i>incarnata</i>	swamp milkweed		4
C	Apocynaceae	<i>Asclepias meadii</i>	Mead's milkweed	S2	10
P	Apocynaceae	<i>Asclepias purpurascens</i>	purple milkweed		6
C	Apocynaceae	<i>Asclepias stenophylla</i>	narrow-leaf milkweed		7
P	Apocynaceae	<i>Asclepias sullivantii</i>	smooth milkweed		5
C P	Apocynaceae	<i>Asclepias syriaca</i>	common milkweed		1
C P	Apocynaceae	<i>Asclepias tuberosa</i> subsp. <i>interior</i>	butterfly milkweed		6
C	Apocynaceae	<i>Asclepias verticillata</i>	whorled milkweed		1
C	Apocynaceae	<i>Asclepias viridiflora</i>	green milkweed		6
C P	Apocynaceae	<i>Asclepias viridis</i>	spider milkweed		1
P	Araceae	<i>Arisaema dracontium</i>	dragonroot Jack-in-the-pulpit	S3	7
P	Araceae	<i>Arisaema triphyllum</i> subsp. <i>triphyllum</i>	Indian Jack-in-the-pulpit		6
B C	Asclepiadaceae	<i>Cynanchum laeve</i>	smooth swallow-wort		0
B C	Asparagaceae	<i>Asparagus officinalis</i>	garden asparagus	SE	*
C P	Asteraceae	<i>Achillea millefolium</i> subsp. <i>lanulosa</i>	western yarrow		1
C P	Asteraceae	<i>Ageratina altissima</i>	tall snakeroot		1
C P	Asteraceae	<i>Ambrosia artemisiifolia</i>	common ragweed		0
B C P	Asteraceae	<i>Ambrosia psilostachya</i>	western ragweed		3
B C P	Asteraceae	<i>Ambrosia trifida</i>	giant ragweed		0
C P	Asteraceae	<i>Antennaria neglecta</i>	field pussy's-toes		2
C P	Asteraceae	<i>Arnoglossum atriplicifolium</i>	pale Indian-plantain		3
C	Asteraceae	<i>Arnoglossum plantagineum</i>	tuberous Indian-plantain		6
C P	Asteraceae	<i>Artemisia ludoviciana</i> subsp. <i>ludoviciana</i>	Louisiana sagewort		2
B C P	Asteraceae	<i>Bidens aristosus</i> var. <i>retrorsus</i>	coreopsis beggar-ticks		1
C P	Asteraceae	<i>Brickellia eupatorioides</i> var. <i>corymbulosa</i>	eastern brickellbush		2
B C P	Asteraceae	<i>Cirsium altissimum</i>	tall thistle		2
C	Asteraceae	<i>Cirsium undulatum</i> var. <i>undulatum</i>	wavy-leaf thistle		4
B C P	Asteraceae	<i>Conyza canadensis</i>	tall horseweed		0
C P	Asteraceae	<i>Coreopsis palmata</i>	finger coreopsis	S4	7
B	Asteraceae	<i>Coreopsis tinctoria</i> var. <i>tinctoria</i>	plains coreopsis		1
C	Asteraceae	<i>Echinacea atrorubens</i>	tall purple-coneflower	S3	8
C P	Asteraceae	<i>Echinacea pallida</i>	pale purple-coneflower	S5	7
B P	Asteraceae	<i>Eclipta prostrata</i>	yerba de tajo		3
P	Asteraceae	<i>Erechtites hieraciifolia</i> var. <i>hieraciifolia</i>	American burnweed		1
B C	Asteraceae	<i>Erigeron annuus</i>	annual fleabane		0
C	Asteraceae	<i>Erigeron philadelphicus</i> var. <i>philadelphicus</i>	Philadelphia fleabane		3

## Plants at Baker Restoration, Coblentz Prairie, Prairie Park Sorted by Family Name

Prairie Baker Coblentz Prairie Park	FAMILY	SCIENTIFIC NAME	COMMON NAME	State Rank	CoC
B C P	Asteraceae	<i>Erigeron strigosus</i> var. <i>strigosus</i>	daisy fleabane		4
C	Asteraceae	<i>Eupatorium altissimum</i>	tall joe-pye-weed		2
C P	Asteraceae	<i>Euthamia gymnospermoides</i>	sticky euthamia		3
C	Asteraceae	<i>Gnaphalium uliginosum</i>	low cudweed	SE	*
B C P	Asteraceae	<i>Helianthus annuus</i>	common sunflower		0
B C P	Asteraceae	<i>Helianthus grosseserratus</i>	saw-tooth sunflower		4
C	Asteraceae	<i>Helianthus maximilianii</i>	Maximilian's sunflower		3
P	Asteraceae	<i>Helianthus mollis</i>	ashy sunflower	S4	7
C P	Asteraceae	<i>Helianthus pauciflorus</i> var. <i>pauciflorus</i>	stiff sunflower		5
B C	Asteraceae	<i>Helianthus tuberosus</i>	Jerusalem-artichoke sunflower		2
C P	Asteraceae	<i>Hieracium longipilum</i>	long-beard hawkweed		5
B C	Asteraceae	<i>Iva annua</i> var. <i>annua</i>	annual sumpweed		0
B	Asteraceae	<i>Krigia occidentalis</i>	western dwarf-dandelion	S1	7
B C P	Asteraceae	<i>Lactuca serriola</i>	prickly lettuce	SE	*
P	Asteraceae	<i>Leucanthemum vulgare</i>	common ox-eye daisy	SE	*
C P	Asteraceae	<i>Liatris aspera</i>	button gayfeather		6
C	Asteraceae	<i>Liatris mucronata</i>	eastern dotted gayfeather		5
B C P	Asteraceae	<i>Liatris pycnostachya</i>	thick-spike gayfeather	S4	7
C	Asteraceae	<i>Nothocalais cuspidata</i>	wavy-leaf false-dandelion	S3	7
C	Asteraceae	<i>Packera plattensis</i>	prairie ragwort		5
C	Asteraceae	<i>Packera pseud aurea</i> var. <i>semicordata</i>	false golden ragwort	S2	7
P	Asteraceae	<i>Prenanthes aspera</i>	rough rattlesnake-root	S3	8
C P	Asteraceae	<i>Pseudognaphalium obtusifolium</i>	fragrant false-cudweed		0
B P	Asteraceae	<i>Pyrrhopappus carolinianus</i>	Carolina false-dandelion		1
C	Asteraceae	<i>Ratibida columnifera</i>	upright prairie-coneflower		4
B C	Asteraceae	<i>Ratibida pinnata</i>	gray-head prairie-coneflower		3
B C P	Asteraceae	<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	black-eyed-Susan		2
P	Asteraceae	<i>Rudbeckia subtomentosa</i>	sweet coneflower		6
C	Asteraceae	<i>Silphium integrifolium</i> var. <i>laeve</i>	showy rosinweed		3
P	Asteraceae	<i>Silphium integrifolium</i> var. <i>integrifolium</i>	whole-leaf rosinweed		3
C P	Asteraceae	<i>Silphium laciniatum</i>	compassplant		4
C	Asteraceae	<i>Silphium perfoliatum</i> var. <i>perfoliatum</i>	cup rosinweed		3
B? C P?	Asteraceae	<i>Solidago canadensis</i> var. <i>scabra</i>	Canadian goldenrod		1
C	Asteraceae	<i>Solidago gigantea</i>	late goldenrod		3
C	Asteraceae	<i>Solidago missouriensis</i>	Missouri goldenrod		5
C P?	Asteraceae	<i>Solidago nemoralis</i> subsp. <i>nemoralis</i>	gray goldenrod		2
C	Asteraceae	<i>Solidago petiolaris</i> var. <i>petiolaris</i>	downy goldenrod	S4	7
C P	Asteraceae	<i>Solidago rigida</i> subsp. <i>rigida</i>	stiff goldenrod		3
C P	Asteraceae	<i>Solidago speciosa</i> var. <i>rigiduscula</i>	showy-wand goldenrod	S3	7
C	Asteraceae	<i>Symphotrichum drummondii</i> subsp. <i>drummondii</i>	Drummond's aster		2
B C P	Asteraceae	<i>Symphotrichum ericoides</i> subsp. <i>ericoides</i>	heath aster		5
B?	Asteraceae	<i>Symphotrichum lanceolatum</i> var. <i>interior</i>	lance-leaf aster		3
C	Asteraceae	<i>Symphotrichum oblongifolium</i>	aromatic aster		5
C P	Asteraceae	<i>Symphotrichum oolentangiense</i>	azure aster		8
C	Asteraceae	<i>Symphotrichum pilosum</i> var. <i>pilosus</i>	hairy aster		0
C P	Asteraceae	<i>Symphotrichum praealtum</i> var. <i>praealtum</i>	willow-leaf aster		3
B C P	Asteraceae	<i>Taraxacum officinale</i>	common dandelion	SE	*
B	Asteraceae	<i>Tragopogon dubius</i>	western salsify	SE	*
C P	Asteraceae	<i>Vernonia baldwinii</i> subsp. <i>interior</i>	western ironweed		2
B	Asteraceae	<i>Xanthium strumarium</i> var. <i>canadense</i>	common cocklebur		0
P	Berberidaceae	<i>Podophyllum peltatum</i>	common May-apple		4
B C P	Bignoniaceae	<i>Campsis radicans</i>	common trumpet-creeper	SE	*
C P	Boraginaceae	<i>Lithospermum canescens</i>	hoary gromwell		7
C P	Boraginaceae	<i>Lithospermum incisum</i>	plains gromwell		5
C	Boraginaceae	<i>Myosotis verna</i>	spring forget-me-not		2
C	Brassicaceae	<i>Alliaria petiolata</i>	common garlic-mustard	SE	*
C	Brassicaceae	<i>Arabis hirsuta</i> var. <i>pycnocarpa</i>	hairy rockcress	S1	5
C P	Brassicaceae	<i>Barbarea vulgaris</i>	bitter wintercress	SE	*
B	Brassicaceae	<i>Capsella bursa-pastoris</i>	common shepherd's-purse	SE	*
C	Brassicaceae	<i>Cardamine parviflora</i> var. <i>arenicola</i>	small-flower bittercress		2
B	Brassicaceae	<i>Cardamine pennsylvanica</i>	Pennsylvania bittercress		4
B C	Brassicaceae	<i>Descurainia pinnata</i> subsp. <i>brachycarpa</i>	pinnate tansy-mustard		1
C	Brassicaceae	<i>Draba cuneifolia</i> var. <i>cuneifolia</i>	wedge-leaf draba		3

## Plants at Baker Restoration, Coblantz Prairie, Prairie Park Sorted by Family Name

Prairie Baker Coblantz Prairie Park	FAMILY	SCIENTIFIC NAME	COMMON NAME	State Rank	CoC
C	Brassicaceae	<i>Lepidium densiflorum</i> var. <i>densiflorum</i>	prairie pepper-grass		0
B P	Brassicaceae	<i>Lepidium virginicum</i> var. <i>virginicum</i>	Virginia pepper-grass		0
B	Brassicaceae	<i>Rorippa palustris</i> subsp. <i>hispidus</i>	bog yellowcress		2
B C	Brassicaceae	<i>Thlaspi arvense</i>	field pennycress	SE	*
C	Brassicaceae	<i>Turritis glabra</i>	tower rockcress	SE	*
C	Campanulaceae	<i>Campanula americana</i>	American bellflower		4
C P	Campanulaceae	<i>Lobelia spicata</i> var. <i>leptostachys</i>	pale-spike lobelia		6
C	Campanulaceae	<i>Triodanis leptocarpa</i>	slender-fruit Venus'-looking-glass		3
B C P	Campanulaceae	<i>Triodanis perfoliata</i>	clasping-leaf Venus'-looking-glass		2
C	Cannabaceae	<i>Humulus japonicus</i>	Japanese hop	SE	*
P	Cannabaceae	<i>Humulus lupulus</i> var. <i>pubescens</i>	common hop		3
B P	Caprifoliaceae	<i>Lonicera japonica</i>	Japanese honeysuckle	SE	*
C	Caprifoliaceae	<i>Lonicera maackii</i>	Amur honeysuckle	SE	*
B	Caprifoliaceae	<i>Symphoricarpos orbiculatus</i>	buckbrush		1
C	Caprifoliaceae	<i>Triosteum perfoliatum</i>	clasping-leaf horse-gentian		4
B C	Caryophyllaceae	<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	thyme-leaf sandwort	SE	*
C	Caryophyllaceae	<i>Dianthus armeria</i>	Deptford pink	SE	*
C	Caryophyllaceae	<i>Paronychia fastigiata</i> var. <i>fastigiata</i>	forked nailwort		5
B C	Caryophyllaceae	<i>Silene antirrhina</i>	sleep catchfly		0
C	Caryophyllaceae	<i>Silene stellata</i>	starry catchfly		5
C P	Celastraceae	<i>Celastrus scandens</i>	American bittersweet		4
P	Commelinaceae	<i>Commelina communis</i>	Asiatic dayflower	SE	*
C	Commelinaceae	<i>Tradescantia bracteata</i>	bracted spiderwort		5
P	Commelinaceae	<i>Tradescantia ohiensis</i>	Ohio spiderwort		5
B P	Convolvulaceae	<i>Calystegia sepium</i> var. <i>angulata</i>	common hedge-bindweed		0
B	Convolvulaceae	<i>Convolvulus arvensis</i>	field bindweed	SE	*
B	Convolvulaceae	<i>Ipomoea hederacea</i>	ivy-leaf morning-glory	SE	*
B	Convolvulaceae	<i>Ipomoea lacunosa</i>	white morning-glory		0
C	Convolvulaceae	<i>Ipomoea pandurata</i>	big-root morning-glory		2
B	Convolvulaceae	<i>Ipomoea purpurea</i>	common morning-glory	SE	*
B	Cornaceae	<i>Cornus drummondii</i>	rough-leaf dogwood		1
B C P	Cupressaceae	<i>Juniperus virginiana</i> var. <i>virginiana</i>	eastern red-cedar		1
C	Cyperaceae	<i>Bolboschoenus fluviatilis</i>	river tuberous-bulrush		5
C	Cyperaceae	<i>Carex bicknellii</i>	Bicknell's sedge	S3	8
P	Cyperaceae	<i>Carex brachyglossa</i>	yellow-fruit sedge		5
B C P	Cyperaceae	<i>Carex brevior</i>	short-beak sedge		5
C	Cyperaceae	<i>Carex bushii</i>	Bush's sedge		4
B	Cyperaceae	<i>Carex frankii</i>	Frank's sedge		4
C	Cyperaceae	<i>Carex gravida</i>	heavy sedge		4
C	Cyperaceae	<i>Carex inops</i> subsp. <i>heliophila</i>	sun sedge	S3	8
C	Cyperaceae	<i>Carex meadii</i>	Mead's sedge		7
C	Cyperaceae	<i>Carex mesochorea</i>	savannah sedge	S2	5
B	Cyperaceae	<i>Carex missouriensis</i>	Missouri sedge	S1	7
C	Cyperaceae	<i>Carex molesta</i>	pest sedge		4
C	Cyperaceae	<i>Carex pellita</i>	woolly sedge		5
B	Cyperaceae	<i>Carex tribuloides</i> var. <i>tribuloides</i>	festival sedge	S1	4
C	Cyperaceae	<i>Carex umbellata</i>	low sedge	S3	7
B C	Cyperaceae	<i>Carex vulpinoidea</i>	fox sedge		3
B	Cyperaceae	<i>Cyperus acuminatus</i>	tape-leaf flat-sedge		0
B	Cyperaceae	<i>Cyperus esculentus</i>	yellow nut-sedge		0
C P	Cyperaceae	<i>Cyperus lupulinus</i> subsp. <i>lupulinus</i>	slender-stem flat-sedge		3
B	Cyperaceae	<i>Cyperus strigosus</i>	false nut-sedge		4
B? C	Cyperaceae	<i>Eleocharis compressa</i> var. <i>acutisquamata</i>	flat-stem spike-rush		6
B	Cyperaceae	<i>Eleocharis macrostachya</i>	large-spike spike-rush		3
B	Cyperaceae	<i>Eleocharis wolfii</i>	Wolf's spike-rush	S1	5
C	Cyperaceae	<i>Schoenoplectus tabernaemontani</i>	soft-stem twine-bulrush		4
B C	Cyperaceae	<i>Scirpus atrovirens</i>	green bulrush		4
B	Cyperaceae	<i>Scirpus georgianus</i>	Georgia bulrush		4
B C P	Cyperaceae	<i>Scirpus pendulus</i>	drooping bulrush		3
C P	Cyperaceae	<i>Scleria triglomerata</i>	whip nut-rush	S5	8
C P	Euphorbiaceae	<i>Acalypha virginica</i>	Virginia copperleaf		0
B P	Euphorbiaceae	<i>Chamaesyce maculata</i>	spotted mat-spurge		0
B C	Euphorbiaceae	<i>Chamaesyce nutans</i>	eyebane		0

## Plants at Baker Restoration, Coblantz Prairie, Prairie Park Sorted by Family Name

Prairie Baker Coblantz Prairie Park	FAMILY	SCIENTIFIC NAME	COMMON NAME	State Rank	CoC
B	Euphorbiaceae	<i>Chamaesyce serpens</i>	round-leaf mat-spurge		0
C	Euphorbiaceae	<i>Croton capitatus</i> var. <i>capitatus</i>	woolly croton		1
C	Euphorbiaceae	<i>Croton monanthogynus</i>	one-seed croton		1
C P	Euphorbiaceae	<i>Euphorbia corollata</i>	flowering spurge		5
C	Euphorbiaceae	<i>Euphorbia marginata</i>	snow-on-the-mountain		0
C	Euphorbiaceae	<i>Tragia betonicifolia</i>	betony noseburn		5
B C P	Fabaceae	<i>Amorpha canescens</i>	leadplant		7
B C	Fabaceae	<i>Amorpha fruticosa</i>	bush wild-indigo		6
C P	Fabaceae	<i>Apios americana</i>	American potato-bean		6
C	Fabaceae	<i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i>	ground-plum milk-vetch		7
C P	Fabaceae	<i>Baptisia alba</i> var. <i>macrophylla</i>	white wild-indigo		5
C P	Fabaceae	<i>Baptisia bracteata</i> var. <i>leucophaea</i>	plains wild-indigo		6
B C P	Fabaceae	<i>Chamaecrista fasciculata</i>	showy partridgepea		2
B C P	Fabaceae	<i>Dalea candida</i> var. <i>candida</i>	white prairie-clover		7
C	Fabaceae	<i>Dalea multiflora</i>	round-head prairie-clover		7
B C P	Fabaceae	<i>Dalea purpurea</i> var. <i>purpurea</i>	purple prairie-clover	S5	7
B C	Fabaceae	<i>Desmanthus illinoensis</i>	Illinois bundle-flower		2
C	Fabaceae	<i>Desmodium canadense</i>	Canadian tick-clover	S3	4
C	Fabaceae	<i>Desmodium glutinosum</i>	large-flower tick-clover		3
C P	Fabaceae	<i>Desmodium illinoense</i>	Illinois tick-clover		5
P	Fabaceae	<i>Desmodium perplexum</i>	Dillen's tick-clover		5
C P	Fabaceae	<i>Desmodium sessilifolium</i>	sessile-leaf tickclover	S5	7
B	Fabaceae	<i>Gleditsia triacanthos</i>	common honey-locust		0
B C P	Fabaceae	<i>Kummerowia stipulacea</i>	Korean low bush-clover	SE	*
C P	Fabaceae	<i>Lespedeza capitata</i>	round-head bush-clover		6
B C	Fabaceae	<i>Lespedeza cuneata</i>	sericea bush-clover	SE	*
C P	Fabaceae	<i>Lespedeza violacea</i>	violet bush-clover		5
C	Fabaceae	<i>Lespedeza virginica</i>	slender bush-clover		5
C	Fabaceae	<i>Lespedeza xmanniana</i>	Mann's bush-clover	S1	hybrid
B	Fabaceae	<i>Medicago lupulina</i>	black medic	SE	*
B C	Fabaceae	<i>Mellilotus albus</i>	white sweet-clover	SE	*
B C	Fabaceae	<i>Mellilotus officinalis</i>	yellow sweet-clover	SE	*
P	Fabaceae	<i>Mimosa quadrivalvis</i> var. <i>nuttallii</i>	cat-claw mimosa		6
C P	Fabaceae	<i>Pediomelum esculentum</i>	bread-root scurf-pea	S5	7
C P	Fabaceae	<i>Psoraleidum tenuiflorum</i>	narrow-leaf scurf-pea		3
C	Fabaceae	<i>Securigera varia</i>	common crown-vetch	SE	*
B C	Fabaceae	<i>Senna marilandica</i>	Maryland senna		3
P	Fabaceae	<i>Tephrosia virginiana</i>	Virginia hoary-pea	S4	7
B	Fabaceae	<i>Trifolium hybridum</i>	alsike clover	SE	*
B	Fabaceae	<i>Trifolium pratense</i>	red clover	SE	*
B	Fabaceae	<i>Trifolium repens</i>	white clover	SE	*
B	Fagaceae	<i>Quercus macrocarpa</i>	bur oak		4
B	Fagaceae	<i>Quercus palustris</i>	pin oak	S3	3
C	Fumariaceae	<i>Corydalis micrantha</i> subsp. <i>micrantha</i>	slender fumewort		0
C P	Gentianaceae	<i>Gentiana puberulenta</i>	downy gentian	S3	8
B C P	Geraniaceae	<i>Geranium carolinianum</i>	Carolina crane's-bill		0
B	Grossulariaceae	<i>Ribes missouriense</i>	Missouri gooseberry		3
C P	Hypericaceae	<i>Hypericum perforatum</i>	common St. John's-wort	SE	*
C	Hypericaceae	<i>Hypericum punctatum</i>	spotted St. John's-wort		6
C P	Hypoxidaceae	<i>Hypoxis hirsuta</i>	hairy yellow star-lily		5
C P	Iridaceae	<i>Sisyrinchium campestre</i>	prairie blue-eyed-grass		6
B	Juglandaceae	<i>Juglans nigra</i>	black walnut		3
B	Juncaceae	<i>Juncus dudleyi</i>	Dudley's rush		3
C P	Juncaceae	<i>Juncus interior</i>	inland rush		2
B	Juncaceae	<i>Juncus torreyi</i>	Torrey's rush		2
C	Lamiaceae	<i>Lamium amplexicaule</i> var. <i>amplexicaule</i>	hen-bit dead-nettle	SE	*
C	Lamiaceae	<i>Lamium purpureum</i> var. <i>purpureum</i>	purple dead-nettle	SE	*
B	Lamiaceae	<i>Lycopus americanus</i>	American water-horehound		3
P	Lamiaceae	<i>Lycopus virginicus</i>	Virginia water-horehound		5
B C	Lamiaceae	<i>Monarda fistulosa</i> var. <i>fistulosa</i>	wild bergamot bee-balm		3
C	Lamiaceae	<i>Nepeta cataria</i>	common catnip	SE	*
C P	Lamiaceae	<i>Prunella vulgaris</i>	common selfheal	SE	*
C P	Lamiaceae	<i>Pycnanthemum tenuifolium</i>	narrow-leaf mountain-mint		4

## Plants at Baker Restoration, Coblentz Prairie, Prairie Park Sorted by Family Name

Prairie Baker Coblentz Prairie Park	FAMILY	SCIENTIFIC NAME	COMMON NAME	State Rank	CoC
C P	Lamiaceae	<i>Salvia azurea</i>	blue sage		4
C	Lamiaceae	<i>Salvia reflexa</i>	lance-leaf sage		1
C P?	Lamiaceae	<i>Scutellaria parvula var. australis</i>	southern small skullcap		5
C P	Lamiaceae	<i>Teucrium canadense var. canadense</i>	American germander		1
P	Liliaceae	<i>Erythronium mesochoreum</i>	prairie fawn-lily		7
P	Liliaceae	<i>Lilium michiganense</i>	Michigan lily	S3	8
C P	Linaceae	<i>Linum sulcatum var. sulcatum</i>	grooved flax		6
B	Linderniaceae	<i>Lindernia dubia var. dubia</i>	false-pimpernel		4
B	Lythraceae	<i>Ammannia coccinea</i>	purple toothcup		2
B C	Lythraceae	<i>Lythrum alatum var. alatum</i>	winged loosestrife		4
B	Malvaceae	<i>Abutilon theophrasti</i>	common velvetleaf	SE	*
B	Malvaceae	<i>Hibiscus laevis</i>	halberd-leaf rose-mallow		3
B	Malvaceae	<i>Hibiscus moscheutos subsp. moscheutos</i>	woolly rose-mallow	S2	4
B	Malvaceae	<i>Hibiscus trionum</i>	flower-of-an-hour	SE	*
B	Malvaceae	<i>Sida spinosa</i>	prickly sida	SE	*
B	Molluginaceae	<i>Mollugo verticillata</i>	green carpetweed	SE	*
B	Moraceae	<i>Maclura pomifera</i>	Osage-orange	SE	*
B	Moraceae	<i>Morus rubra</i>	red mulberry		5
C	Nyctaginaceae	<i>Mirabilis albida</i>	white four-o'clock		5
B C	Nyctaginaceae	<i>Mirabilis nyctaginea</i>	wild four-o'clock		0
B	Oleaceae	<i>Fraxinus pennsylvanica</i>	green ash		0
C P	Onagraceae	<i>Calylophus serrulatus</i>	plains yellow evening-primrose		5
C	Onagraceae	<i>Gaura longiflora</i>	large-flower butterfly-weed		2
P	Onagraceae	<i>Gaura parviflora</i>	velvet butterfly-weed		1
P	Onagraceae	<i>Ludwigia alternifolia</i>	bushy seedbox		5
B	Onagraceae	<i>Ludwigia peploides subsp. glabrescens</i>	floating seedbox		3
B	Onagraceae	<i>Oenothera biennis</i>	common evening-primrose	S2	0
C	Onagraceae	<i>Oenothera macrocarpa subsp. macrocarpa</i>	Missouri evening-primrose		5
C	Onagraceae	<i>Oenothera speciosa</i>	showy white evening-primrose		2
C	Onagraceae	<i>Oenothera villosa subsp. villosa</i>	hairy evening-primrose		0
C	Ophioglossaceae	<i>Ophioglossum engelmannii</i>	limestone adder's-tongue		3
C	Orchidaceae	<i>Spiranthes lacera var. gracilis</i>	southern slender ladies'-tresses		6
C	Orchidaceae	<i>Spiranthes vernalis</i>	spring ladies'-tresses	S4	8
P	Orobanchaceae	<i>Buchnera americana</i>	American bluehearts	S4	9
P	Orobanchaceae	<i>Pedicularis canadensis subsp. canadensis</i>	Canadina lousewort		7
B C P	Oxalidaceae	<i>Oxalis dillenii subsp. dillenii</i>	gray-green wood-sorrel		0
C P	Oxalidaceae	<i>Oxalis violacea</i>	violet wood-sorrel		4
B C	Penthoraceae	<i>Penthorum sedoides</i>	ditch-stonecrop		3
B	Phytolaccaceae	<i>Phytolacca americana var. americana</i>	American pokeweed		0
B	Plantaginaceae	<i>Bacopa rotundifolia</i>	round-leaf water-hyssop		4
B	Plantaginaceae	<i>Leucospora multifida</i>	paleseed		0
C	Plantaginaceae	<i>Penstemon cobaea var. cobaea</i>	cobaea beardtongue		5
C	Plantaginaceae	<i>Penstemon tubaefflorus</i>	tube beardtongue		3
C P	Plantaginaceae	<i>Plantago aristata</i>	bottle-brush plantain		2
C P	Plantaginaceae	<i>Plantago virginica</i>	pale-seed plantain		1
B?	Plantaginaceae	<i>Veronica peregrina subsp. peregrina</i>	purslane speedwell		0
B? C	Plantaginaceae	<i>Veronica peregrina subsp. xalapensis</i>	purslane speedwell		0
C P	Plantaginaceae	<i>Veronicastrum virginicum</i>	Culver's-root		8
B	Platanaceae	<i>Platanus occidentalis</i>	common sycamore		4
C P	Poaceae	<i>Agrostis hyemalis</i>	winter bent grass		2
C	Poaceae	<i>Agrostis stolonifera</i>	creeping bent grass	SE	*
B C P	Poaceae	<i>Andropogon gerardii</i>	big bluestem		4
B P	Poaceae	<i>Andropogon virginicus var. virginicus</i>	broom-sedge bluestem		0
P	Poaceae	<i>Aristida oligantha</i>	old-field threeawn		0
B C P	Poaceae	<i>Bouteloua curtipendula var. curtipendula</i>	side-oats grama		5
C P	Poaceae	<i>Bromus inermis</i>	smooth brome	SE	*
B	Poaceae	<i>Bromus japonicus</i>	Japanese brome	SE	*
B	Poaceae	<i>Bromus tectorum</i>	downy brome	SE	*
B	Poaceae	<i>Chloris verticillata</i>	whorled windmill grass		0
B	Poaceae	<i>Dactylis glomerata</i>	common orchard grass	SE	*
C P?	Poaceae	<i>Dichanthelium acuminatum var. implicatum</i>	pointed dichanthelium		3
C	Poaceae	<i>Dichanthelium leibergii</i>	Leiberg's dichanthelium		10
C	Poaceae	<i>Dichanthelium linearifolium</i>	slim-leaf dichanthelium		7

## Plants at Baker Restoration, Coblentz Prairie, Prairie Park Sorted by Family Name

Prairie Baker Coblentz Prairie Park	FAMILY	SCIENTIFIC NAME	COMMON NAME	State Rank	CoC
C P	Poaceae	<i>Dichanthelium oligosanthes</i> var. <i>scribnerianum</i>	Scribner's dichanthelium		4
C	Poaceae	<i>Dichanthelium perlongum</i>	long-leaf dichanthelium		7
C P	Poaceae	<i>Digitaria cognata</i> subsp. <i>cognata</i>	fall witch grass		3
P	Poaceae	<i>Digitaria sanguinalis</i>	hairy crab grass	SE	*
B P	Poaceae	<i>Echinochloa crusgalli</i>	common barnyard grass	SE	*
B	Poaceae	<i>Eleusine indica</i>	Indian goose grass	SE	*
B C P	Poaceae	<i>Elymus canadensis</i> var. <i>canadensis</i>	Canadian wild-rye		5
C	Poaceae	<i>Elymus virginicus</i> var. <i>virginicus</i>	Virginia wild-rye		3
P	Poaceae	<i>Eragrostis spectabilis</i>	purple love grass		3
C	Poaceae	<i>Festuca paradoxa</i>	cluster fescue	S2	7
C P	Poaceae	<i>Hesperostipa spartea</i>	porcupine grass	S4	8
B	Poaceae	<i>Hordeum jubatum</i> subsp. <i>jubatum</i>	fox-tail barley		1
B	Poaceae	<i>Hordeum pusillum</i>	little barley		0
C P	Poaceae	<i>Koeleria macrantha</i>	prairie June grass		6
B	Poaceae	<i>Leersia oryzoides</i> var. <i>oryzoides</i>	rice cut grass		4
B	Poaceae	<i>Leptochloa fusca</i> subsp. <i>fascicularis</i>	bearded sprangletop		0
B	Poaceae	<i>Leptochloa panicea</i> subsp. <i>mucronata</i>	red sprangletop		0
B	Poaceae	<i>Lolium arundinaceum</i>	tall rye grass	SE	*
B? C P?	Poaceae	<i>Panicum capillare</i> var. <i>capillare</i>	common witch grass		0
B	Poaceae	<i>Panicum dichotomiflorum</i> var. <i>dichotomiflorum</i>	fall panicum		0
B C P	Poaceae	<i>Panicum virgatum</i> var. <i>virgatum</i>	switch grass		4
P?	Poaceae	<i>Paspalum setaceum</i> var. <i>muhlenbergii</i>	thin paspalum		2
P	Poaceae	<i>Phleum pratense</i> subsp. <i>pratense</i>	common timothy	SE	*
B C P	Poaceae	<i>Poa pratensis</i>	Kentucky blue grass	SE	*
B C	Poaceae	<i>Schizachyrium scoparium</i> subsp. <i>scoparium</i>	little bluestem		5
B P	Poaceae	<i>Setaria faberi</i>	Chinese bristle grass	SE	*
B C	Poaceae	<i>Setaria pumila</i>	yellow bristle grass	SE	*
B	Poaceae	<i>Setaria viridis</i> var. <i>viridis</i>	green bristle grass	SE	*
B C P	Poaceae	<i>Sorghastrum nutans</i>	yellow Indian grass		5
B	Poaceae	<i>Sorghum halepense</i>	Johnson grass	SE	*
P	Poaceae	<i>Spartina pectinata</i>	prairie cord grass		4
C	Poaceae	<i>Sphenopholis obtusata</i> var. <i>major</i>	slender wedgescale		6
C P	Poaceae	<i>Sporobolus heterolepis</i>	prairie dropseed	S2	8
B	Poaceae	<i>Sporobolus vaginiflorus</i>	poverty dropseed		0
B C P	Poaceae	<i>Tripsacum dactyloides</i> var. <i>dactyloides</i>	eastern gamma grass		3
C P	Polemoniaceae	<i>Phlox pilosa</i> subsp. <i>fulgida</i>	prairie phlox	S3	7
P	Polygalaceae	<i>Polygala incarnata</i>	slender milkwort	S4	8
C	Polygalaceae	<i>Polygala verticillata</i>	whorled milkwort		3
B	Polygonaceae	<i>Persicaria amphibia</i>	swamp smartweed		2
B C	Polygonaceae	<i>Persicaria hydropiperoides</i>	mild water-pepper smartweed		4
B	Polygonaceae	<i>Persicaria laphifolia</i>	pale smartweed		2
B	Polygonaceae	<i>Persicaria pennsylvanica</i>	Pennsylvania smartweed		2
B	Polygonaceae	<i>Polygonum aviculare</i>	prostrate knotweed	SE	*
B	Polygonaceae	<i>Polygonum tenue</i>	pleat-leaf knotweed		6
B	Polygonaceae	<i>Polygonum virginianum</i>	jumpseed		2
B C	Polygonaceae	<i>Rumex altissimus</i>	pale dock		0
B C	Polygonaceae	<i>Rumex crispus</i>	curly dock	SE	*
B	Pontederiaceae	<i>Heteranthera limosa</i>	blue mud-plantain		5
C	Primulaceae	<i>Androsace occidentalis</i>	western rock-jasmine		0
C P	Primulaceae	<i>Lysimachia ciliata</i>	fringed loosestrife		6
P	Ranunculaceae	<i>Anemone canadensis</i>	Canadian anemone		6
C	Ranunculaceae	<i>Anemone virginiana</i> var. <i>virginiana</i>	tall anemone		4
C	Ranunculaceae	<i>Delphinium carolinianum</i> subsp. <i>virescens</i>	Carolina larkspur		6
B C	Ranunculaceae	<i>Ranunculus sceleratus</i> var. <i>sceleratus</i>	cursed crowfoot		0
P	Rhamnaceae	<i>Ceanothus herbaceus</i>	inland ceanothus		8
C	Rosaceae	<i>Agrimonia parviflora</i>	small-flower agrimony		4
C	Rosaceae	<i>Crataegus mollis</i>	downy hawthorn		4
C P	Rosaceae	<i>Fragaria virginiana</i> subsp. <i>grayana</i>	woodland strawberry		2
C P	Rosaceae	<i>Potentilla arguta</i> var. <i>arguta</i>	tall cinquefoil		6
C	Rosaceae	<i>Potentilla recta</i>	sulfur cinquefoil	SE	*
C P	Rosaceae	<i>Potentilla simplex</i>	old-field cinquefoil		3
B C	Rosaceae	<i>Prunus americana</i>	American plum		3
C	Rosaceae	<i>Prunus mexicana</i>	big-tree plum		3

Plants at Baker Restoration, Coblantz Prairie, Prairie Park Sorted by Family Name

Prairie Baker Coblantz Prairie Park	FAMILY	SCIENTIFIC NAME	COMMON NAME	State Rank	CoC
P	Rosaceae	<i>Prunus serotina</i> var. <i>serotina</i>	black cherry		3
C P	Rosaceae	<i>Rosa arkansana</i>	Arkansas rose		4
C	Rosaceae	<i>Rosa carolina</i> var. <i>carolina</i>	pasture rose	S3	5
C P	Rosaceae	<i>Rosa multiflora</i>	multiflora rose	SE	*
C P	Rosaceae	<i>Rosa setigera</i> var. <i>setigera</i>	prairie rose		3
C	Rosaceae	<i>Rubus aboriginum</i>	one-flower dewberry		5
P	Rosaceae	<i>Rubus allegheniensis</i>	Alleghany blackberry	S1	4
C	Rosaceae	<i>Rubus alumnus</i>	nursling highbush blackberry	S1	4
P	Rosaceae	<i>Rubus flagellaris</i>	American dewberry		5
C	Rubiaceae	<i>Galium aparine</i>	catch-weed bedstraw		0
C	Rubiaceae	<i>Galium circaeazans</i>	forest bedstraw		3
C P	Rubiaceae	<i>Galium obtusum</i> subsp. <i>obtusum</i>	blunt-leaf bedstraw		5
C	Rubiaceae	<i>Houstonia pusilla</i>	small bluet		1
B C	Salicaceae	<i>Populus deltoides</i> subsp. <i>monilifera</i>	plains cottonwood		0
B	Salicaceae	<i>Salix babylonica</i>	weeping willow	SE	*
B C	Salicaceae	<i>Salix nigra</i>	black willow		2
C P	Santalaceae	<i>Comandra umbellata</i> subsp. <i>umbellata</i>	umbellate bastard toad-flax		6
C P	Scrophulariaceae	<i>Verbascum thapsus</i>	flannel mullein	SE	*
B	Smilacaceae	<i>Smilax hispida</i>	bristly greenbrier		2
B	Solanaceae	<i>Physalis angulata</i> var. <i>angulata</i>	cut-leaf ground-cherry		4
C	Solanaceae	<i>Physalis virginiana</i>	Virginia ground-cherry	S3	6
C P	Solanaceae	<i>Solanum carolinense</i>	Carolina horse-nettle		1
C	Solanaceae	<i>Solanum ptychanthum</i>	black nightshade		1
B	Sparganiaceae	<i>Sparganium eurycarpum</i>	giant bur-reed		5
B	Typhaceae	<i>Typha angustifolia</i>	narrow-leaf cat-tail		0
B	Typhaceae	<i>Typha latifolia</i>	broad-leaf cat-tail		1
B C	Ulmaceae	<i>Ulmus americana</i>	American elm		2
C	Ulmaceae	<i>Ulmus pumila</i>	Siberian elm	SE	*
P	Ulmaceae	<i>Ulmus rubra</i>	slippery elm		3
B	Valerianaceae	<i>Valerianella radiata</i>	limestone cornsalad		2
C	Verbenaceae	<i>Glandularia canadensis</i>	rose vervain		3
C P	Verbenaceae	<i>Verbena hastata</i>	blue vervain		4
C	Verbenaceae	<i>Verbena stricta</i>	hoary vervain		1
C P	Verbenaceae	<i>Verbena urticifolia</i>	nettle-leaf vervain		2
C	Violaceae	<i>Viola bicolor</i>	Johnny-jump-up		0
C P	Violaceae	<i>Viola pedatifida</i> var. <i>pedatifida</i>	prairie violet		6
P	Violaceae	<i>Viola pubescens</i> var. <i>pubescens</i>	downy yellow violet		5
B P	Violaceae	<i>Viola sororia</i> var. <i>missouriensis</i>	downy yellow violet		2
C	Violaceae	<i>Viola sororia</i> var. <i>sororia</i>	dowy blue violet		2
C	Vitaceae	<i>Ampelopsis cordata</i>	heart-leaf raccoon-grape		2
B C P	Vitaceae	<i>Parthenocissus quinquefolia</i> var. <i>quinquefolia</i>	Virginia creeper		1
B P	Vitaceae	<i>Vitis riparia</i>	riverbank grape		2
<b>State Rank Definitions:</b>					
S1 = critically imperiled in KS; 5 or fewer occurrences					
S2 = imperiled in KS; 6-20 occurrences					
S3 = rare in KS; 21-100 occurrences					
S4 = apparently secure in KS; many occurrences					
S5 = demonstrably secure in KS					
SE = exotic in KS					
SH = of historical occurrence in KS, not seen in 30 years					
SX = apparently extirpated in KS					
SR = reported in KS but without persuasive documentation					
SRF = reported falsely in KS; see "Excluded Taxa" worksheet					