

## Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Scientific Name

<b>Prairie Baker Coblenz Prairie Park</b>	<b>SCIENTIFIC NAME</b>	<b>FAMILY</b>	<b>COMMON NAME</b>	<b>State Rank</b>	<b>CoC</b>
B	<i>Abutilon theophrasti</i>	Malvaceae	common velvetleaf	SE	*
C P	<i>Acalypha virginica</i>	Euphorbiaceae	Virginia copperleaf		0
B C	<i>Acer negundo</i> var. <i>negundo</i>	Aceraceae	boxelder		1
C	<i>Acer negundo</i> var. <i>violacea</i>	Aceraceae	boxelder		1
B	<i>Acer saccharinum</i>	Aceraceae	silver maple		2
B	<i>Acer saccharum</i> subsp. <i>saccharum</i>	Aceraceae	sugar maple		6
C P	<i>Achillea millefolium</i> subsp. <i>lanulosa</i>	Asteraceae	western yarrow		1
C P	<i>Ageratina altissima</i>	Asteraceae	tall snakeroot		1
C	<i>Agrimonia parviflora</i>	Rosaceae	small-flower agrimony		4
C P	<i>Agrostis hyemalis</i>	Poaceae	winter bent grass		2
C	<i>Agrostis stolonifera</i>	Poaceae	creeping bent grass	SE	*
B	<i>Alisma triviale</i>	Alismataceae	northern water-plantain		4
C	<i>Alliaria petiolata</i>	Brassicaceae	common garlic-mustard	SE	*
B	<i>Allium canadense</i> var. <i>canadense</i>	Alliaceae	Canadian onion		2
C P	<i>Allium canadense</i> var. <i>lavendulare</i>	Alliaceae	Canadian onion		5
B	<i>Amaranthus tuberculatus</i>	Amaranthaceae	tall water-hemp		0
C P	<i>Ambrosia artemisiifolia</i>	Asteraceae	common ragweed		0
B C P	<i>Ambrosia psilostachya</i>	Asteraceae	western ragweed		3
B C P	<i>Ambrosia trifida</i>	Asteraceae	giant ragweed		0
B	<i>Ammannia coccinea</i>	Lythraceae	purple toothcup		2
B C P	<i>Amorpha canescens</i>	Fabaceae	leadplant		7
B C P	<i>Amorpha fruticosa</i>	Fabaceae	bush wild-indigo		6
C	<i>Ampelopsis cordata</i>	Vitaceae	heart-leaf raccoon-grape		2
B C P	<i>Andropogon gerardii</i>	Poaceae	big bluestem		4
B P	<i>Andropogon virginicus</i> var. <i>virginicus</i>	Poaceae	broom-sedge bluestem		0
C	<i>Androsace occidentalis</i>	Primulaceae	western rock-jasmine		0
P	<i>Anemone canadensis</i>	Ranunculaceae	Canadian anemone		6
C	<i>Anemone virginiana</i> var. <i>virginiana</i>	Ranunculaceae	tall anemone		4
C P	<i>Antennaria neglecta</i>	Asteraceae	field pussy's-toes		2
C P	<i>Apios americana</i>	Fabaceae	American potato-bean		6
B C P	<i>Apocynum cannabinum</i>	Apocynaceae	hemp dogbane		0
C	<i>Arabis hirsuta</i> var. <i>pyncocarpa</i>	Brassicaceae	hairy rockcress	S1	5
B C	<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Caryophyllaceae	thyme-leaf sandwort	SE	*
P	<i>Arisaema dracontium</i>	Araceae	dragonroot Jack-in-the-pulpit	S3	7
P	<i>Arisaema triphyllum</i> subsp. <i>triphyllum</i>	Araceae	Indian Jack-in-the-pulpit		6
P	<i>Aristida oligantha</i>	Poaceae	old-field threeawn		0
C P	<i>Arnoglossum atriplicifolium</i>	Asteraceae	pale Indian-plantain		3
C	<i>Arnoglossum plantagineum</i>	Asteraceae	tuberous Indian-plantain		6
C P	<i>Artemisia ludoviciana</i> subsp. <i>ludoviciana</i>	Asteraceae	Louisiana sagewort		2
C	<i>Asclepias amplexicaulis</i>	Apocynaceae	blunt-leaf milkweed	S3	7
B	<i>Asclepias incarnata</i> subsp. <i>incarnata</i>	Apocynaceae	swamp milkweed		4
C	<i>Asclepias meadii</i>	Apocynaceae	Mead's milkweed	S2	10
P	<i>Asclepias purpurascens</i>	Apocynaceae	purple milkweed		6
C	<i>Asclepias stenophylla</i>	Apocynaceae	narrow-leaf milkweed		7
P	<i>Asclepias sullivantii</i>	Apocynaceae	smooth milkweed		5
C P	<i>Asclepias syriaca</i>	Apocynaceae	common milkweed		1
C P	<i>Asclepias tuberosa</i> subsp. <i>interior</i>	Apocynaceae	butterfly milkweed		6
C	<i>Asclepias verticillata</i>	Apocynaceae	whorled milkweed		1
C	<i>Asclepias viridiflora</i>	Apocynaceae	green milkweed		6
C P	<i>Asclepias viridis</i>	Apocynaceae	spider milkweed		1
B C	<i>Asparagus officinalis</i>	Asparagaceae	garden asparagus	SE	*
C	<i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i>	Fabaceae	ground-plum milk-vetch		7
B	<i>Bacopa rotundifolia</i>	Plantaginaceae	round-leaf water-hyssop		4
C P	<i>Baptisia alba</i> var. <i>macrophylla</i>	Fabaceae	white wild-indigo		5
C P	<i>Baptisia bracteata</i> var. <i>leucophaea</i>	Fabaceae	plains wild-indigo		6
C P	<i>Barbarea vulgaris</i>	Brassicaceae	bitter wintercress	SE	*
B C P	<i>Bidens aristosus</i> var. <i>retrosus</i>	Asteraceae	coreopsis beggar-ticks		1
C	<i>Bolboschoenus fluviatilis</i>	Cyperaceae	river tuberous-bulrush		5
B C P	<i>Bouteloua curtipendula</i> var. <i>curtipendula</i>	Poaceae	side-oats grama		5
C P	<i>Brickellia eupatorioides</i> var. <i>corymbulosa</i>	Asteraceae	eastern brickellbush		2
C P	<i>Bromus inermis</i>	Poaceae	smooth brome	SE	*
B	<i>Bromus japonicus</i>	Poaceae	Japanese brome	SE	*
B	<i>Bromus tectorum</i>	Poaceae	downy brome	SE	*

## Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Scientific Name

Prairie Baker Coblenz Prairie Park	SCIENTIFIC NAME	FAMILY	COMMON NAME	State Rank	CoC
P	<i>Buchnera americana</i>	Orobanchaceae	American bluehearts	S4	9
C P	<i>Calylophus serrulatus</i>	Onagraceae	plains yellow evening-primrose		5
B P	<i>Calystegia sepium</i> var. <i>angulata</i>	Convolvulaceae	common hedge-bindweed		0
C P	<i>Camassia scilloides</i>	Agavaceae	Atlantic camas	S2	8
C	<i>Campanula americana</i>	Campanulaceae	American bellflower		4
B C P	<i>Campsis radicans</i>	Bignoniaceae	common trumpet-creeper	SE	*
B	<i>Capsella bursa-pastoris</i>	Brassicaceae	common shepherd's-purse	SE	*
C	<i>Cardamine parviflora</i> var. <i>arenicola</i>	Brassicaceae	small-flower bittercress		2
B	<i>Cardamine pensylvanica</i>	Brassicaceae	Pennsylvania bittercress		4
C	<i>Carex bicknellii</i>	Cyperaceae	Bicknell's sedge	S3	8
P	<i>Carex brachyglossa</i>	Cyperaceae	yellow-fruit sedge		5
B C P	<i>Carex brevior</i>	Cyperaceae	short-beak sedge		5
C	<i>Carex bushii</i>	Cyperaceae	Bush's sedge		4
B	<i>Carex frankii</i>	Cyperaceae	Frank's sedge		4
C	<i>Carex gravida</i>	Cyperaceae	heavy sedge		4
C	<i>Carex inops</i> subsp. <i>heliophila</i>	Cyperaceae	sun sedge	S3	8
C	<i>Carex meadii</i>	Cyperaceae	Mead's sedge		7
C	<i>Carex mesochorea</i>	Cyperaceae	savannah sedge	S2	5
B	<i>Carex missouriensis</i>	Cyperaceae	Missouri sedge	S1	7
C	<i>Carex molesta</i>	Cyperaceae	pest sedge		4
C	<i>Carex pellita</i>	Cyperaceae	woolly sedge		5
B	<i>Carex tribuloides</i> var. <i>tribuloides</i>	Cyperaceae	festival sedge	S1	4
C	<i>Carex umbellata</i>	Cyperaceae	low sedge	S3	7
B C	<i>Carex vulpinoidea</i>	Cyperaceae	fox sedge		3
P	<i>Ceanothus herbaceus</i>	Rhamnaceae	inland ceanothus		8
C P	<i>Celastrus scandens</i>	Celastraceae	American bittersweet		4
B C P	<i>Chamaecrista fasciculata</i>	Fabaceae	showy partridgepea		2
B P	<i>Chamaesyce maculata</i>	Euphorbiaceae	spotted mat-spurge		0
B C	<i>Chamaesyce nutans</i>	Euphorbiaceae	eyebane		0
B	<i>Chamaesyce serpens</i>	Euphorbiaceae	round-leaf mat-spurge		0
B	<i>Chenopodium album</i>	Amaranthaceae	lamb's-quarters goosefat	S2	0
B	<i>Chenopodium berlandieri</i> var. <i>zschackii</i>	Amaranthaceae	pit-seed goosefoot		0
B	<i>Chloris verticillata</i>	Poaceae	whorled windmill grass		0
C P	<i>Cicuta maculata</i> var. <i>maculata</i>	Apiaceae	spotted water-hemlock		5
B C P	<i>Cirsium altissimum</i>	Asteraceae	tall thistle		2
C	<i>Cirsium undulatum</i> var. <i>undulatum</i>	Asteraceae	wavy-leaf thistle		4
C P	<i>Comandra umbellata</i> subsp. <i>umbellata</i>	Santalaceae	umbellate bastard toad-flax		6
P	<i>Commelina communis</i>	Commelinaceae	Asiatic dayflower	SE	*
B	<i>Convolvulus arvensis</i>	Convolvulaceae	field bindweed	SE	*
B C P	<i>Conyza canadensis</i>	Asteraceae	tall horseweed		0
C P	<i>Coreopsis palmata</i>	Asteraceae	finger coreopsis	S4	7
B	<i>Coreopsis tinctoria</i> var. <i>tinctoria</i>	Asteraceae	plains coreopsis		1
B	<i>Cornus drummondii</i>	Cornaceae	rough-leaf dogwood		1
C	<i>Corydalis micrantha</i> subsp. <i>micrantha</i>	Fumariaceae	slender fumewort		0
C	<i>Crataegus mollis</i>	Rosaceae	downy hawthorn		4
C	<i>Croton capitatus</i> var. <i>capitatus</i>	Euphorbiaceae	woolly croton		1
C	<i>Croton monanthogynus</i>	Euphorbiaceae	one-seed croton		1
B C	<i>Cynanchum laeve</i>	Asclepiadaceae	smooth swallow-wort		0
B	<i>Cyperus acuminatus</i>	Cyperaceae	tape-leaf flat-sedge		0
B	<i>Cyperus esculentus</i>	Cyperaceae	yellow nut-sedge		0
C P	<i>Cyperus lupulinus</i> subsp. <i>lupulinus</i>	Cyperaceae	slender-stem flat-sedge		3
B	<i>Cyperus strigosus</i>	Cyperaceae	false nut-sedge		4
B	<i>Dactylis glomerata</i>	Poaceae	common orchard grass	SE	*
B C P	<i>Dalea candida</i> var. <i>candida</i>	Fabaceae	white prairie-clover		7
C	<i>Dalea multiflora</i>	Fabaceae	round-head prairie-clover		7
B C P	<i>Dalea purpurea</i> var. <i>purpurea</i>	Fabaceae	purple prairie-clover	S5	7
C	<i>Delphinium carolinianum</i> subsp. <i>virescens</i>	Ranunculaceae	Carolina larkspur		6
B C	<i>Descurainia pinnata</i> subsp. <i>brachycarpa</i>	Brassicaceae	pinnate tansy-mustard		1
B C	<i>Desmanthus illinoensis</i>	Fabaceae	Illinois bundle-flower		2
C	<i>Desmodium canadense</i>	Fabaceae	Canadian tick-clover	S3	4
C	<i>Desmodium glutinosum</i>	Fabaceae	large-flower tick-clover		3
C P	<i>Desmodium illinoense</i>	Fabaceae	Illinois tick-clover		5
P	<i>Desmodium perplexum</i>	Fabaceae	Dillen's tick-clover		5

## Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Scientific Name

Prairie Baker Coblenz Prairie Park	SCIENTIFIC NAME	FAMILY	COMMON NAME	State Rank	CoC
C P	<i>Desmodium sessilifolium</i>	Fabaceae	sessile-leaf tickclover	S5	7
C	<i>Dianthus armeria</i>	Caryophyllaceae	Deptford pink	SE	*
C P?	<i>Dichanthelium acuminatum</i> var. <i>implicatum</i>	Poaceae	pointed dichanthelium		3
C	<i>Dichanthelium leibergii</i>	Poaceae	Leiberg's dichanthelium		10
C	<i>Dichanthelium linearifolium</i>	Poaceae	slim-leaf dichanthelium		7
C P	<i>Dichanthelium oligosanthes</i> var. <i>scribnerianum</i>	Poaceae	Scribner's dichanthelium		4
C	<i>Dichanthelium perlongum</i>	Poaceae	long-leaf dichanthelium		7
C P	<i>Digitaria cognata</i> subsp. <i>cognata</i>	Poaceae	fall witch grass		3
P	<i>Digitaria sanguinalis</i>	Poaceae	hairy crab grass	SE	*
C	<i>Draba cuneifolia</i> var. <i>cuneifolia</i>	Brassicaceae	wedge-leaf draba		3
C	<i>Echinacea atrorubens</i>	Asteraceae	tall purple-coneflower	S3	8
C P	<i>Echinacea pallida</i>	Asteraceae	pale purple-coneflower	S5	7
B P	<i>Echinochloa crusgalli</i>	Poaceae	common barnyard grass	SE	*
B P	<i>Eclipta prostrata</i>	Asteraceae	yerba de tajo		3
B? C	<i>Eleocharis compressa</i> var. <i>acutisquamata</i>	Cyperaceae	flat-stem spike-rush		6
B	<i>Eleocharis macrostachya</i>	Cyperaceae	large-spike spike-rush		3
B	<i>Eleocharis wolfii</i>	Cyperaceae	Wolf's spike-rush	S1	5
B	<i>Eleusine indica</i>	Poaceae	Indian goose grass	SE	*
B C P	<i>Elymus canadensis</i> var. <i>canadensis</i>	Poaceae	Canadian wild-rye		5
C	<i>Elymus virginicus</i> var. <i>virginicus</i>	Poaceae	Virginia wild-rye		3
P	<i>Eragrostis spectabilis</i>	Poaceae	purple love grass		3
P	<i>Erechtites hieraciifolia</i> var. <i>hieraciifolia</i>	Asteraceae	American burnweed		1
B C	<i>Erigeron annuus</i>	Asteraceae	annual fleabane		0
C	<i>Erigeron philadelphicus</i> var. <i>philadelphicus</i>	Asteraceae	Philadelphia fleabane		3
B C P	<i>Erigeron strigosus</i> var. <i>strigosus</i>	Asteraceae	daisy fleabane		4
C P	<i>Eryngium yuccifolium</i> var. <i>yuccifolium</i>	Apiaceae	button snake-root eryngo	S4	7
P	<i>Erythronium mesochoreum</i>	Liliaceae	prairie fawn-lily		7
C	<i>Eupatorium altissimum</i>	Asteraceae	tall joe-pye-weed		2
C P	<i>Euphorbia corollata</i>	Euphorbiaceae	flowering spurge		5
C	<i>Euphorbia marginata</i>	Euphorbiaceae	snow-on-the-mountain		0
C P	<i>Euthamia gymnospermoides</i>	Asteraceae	sticky euthamia		3
C	<i>Festuca paradoxa</i>	Poaceae	cluster fescue	S2	7
C P	<i>Fragaria virginiana</i> subsp. <i>grayana</i>	Rosaceae	woodland strawberry		2
B	<i>Fraxinus pennsylvanica</i>	Oleaceae	green ash		0
C	<i>Galium aparine</i>	Rubiaceae	catch-weed bedstraw		0
C	<i>Galium circaezans</i>	Rubiaceae	forest bedstraw		3
C P	<i>Galium obtusum</i> subsp. <i>obtusum</i>	Rubiaceae	blunt-leaf bedstraw		5
C	<i>Gaura longiflora</i>	Onagraceae	large-flower butterfly-weed		2
P	<i>Gaura parviflora</i>	Onagraceae	velvet butterfly-weed		1
C P	<i>Gentiana puberulenta</i>	Gentianaceae	downy gentian	S3	8
B C P	<i>Geranium carolinianum</i>	Geraniaceae	Carolina crane's-bill		0
C	<i>Glandularia canadensis</i>	Verbenaceae	rose vervain		3
B	<i>Gleditsia triacanthos</i>	Fabaceae	common honey-locust		0
C	<i>Gnaphalium uliginosum</i>	Asteraceae	low cudweed	SE	*
B C P	<i>Helianthus annuus</i>	Asteraceae	common sunflower		0
B C P	<i>Helianthus grosseserratus</i>	Asteraceae	saw-tooth sunflower		4
C	<i>Helianthus maximilianii</i>	Asteraceae	Maximilian's sunflower		3
P	<i>Helianthus mollis</i>	Asteraceae	ashy sunflower	S4	7
C P	<i>Helianthus pauciflorus</i> var. <i>pauciflorus</i>	Asteraceae	stiff sunflower		5
B C	<i>Helianthus tuberosus</i>	Asteraceae	Jerusalem-artichoke sunflower		2
C P	<i>Hesperostipa spartea</i>	Poaceae	porcupine grass	S4	8
B	<i>Heteranthera limosa</i>	Pontederiaceae	blue mud-plantain		5
B	<i>Hibiscus laevis</i>	Malvaceae	halberd-leaf rose-mallow		3
B	<i>Hibiscus moscheutos</i> subsp. <i>moscheutos</i>	Malvaceae	woolly rose-mallow	S2	4
B	<i>Hibiscus trionum</i>	Malvaceae	flower-of-an-hour	SE	*
C P	<i>Hieracium longipilum</i>	Asteraceae	long-beard hawkweed		5
B	<i>Hordeum jubatum</i> subsp. <i>jubatum</i>	Poaceae	fox-tail barley		1
B	<i>Hordeum pusillum</i>	Poaceae	little barley		0
C	<i>Houstonia missillia</i>	Rubiaceae	small bluet		1
C	<i>Humulus japonicus</i>	Cannabaceae	Japanese hop	SE	*
P	<i>Humulus lupulus</i> var. <i>pubescens</i>	Cannabaceae	common hop		3
C P	<i>Hypericum perforatum</i>	Hypericaceae	common St. John's-wort	SE	*
C	<i>Hypericum punctatum</i>	Hypericaceae	spotted St. John's-wort		6

## Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Scientific Name

Prairie Baker Coblenz Prairie Park	SCIENTIFIC NAME	FAMILY	COMMON NAME	State Rank	CoC
C P	<i>Hypoxis hirsuta</i>	Hypoxidaceae	hairy yellow star-lily		5
B	<i>Ipomoea hederacea</i>	Convolvulaceae	ivy-leaf morning-glory	SE	*
B	<i>Ipomoea lacunosa</i>	Convolvulaceae	white morning-glory		0
C	<i>Ipomoea pandurata</i>	Convolvulaceae	big-root morning-glory		2
B	<i>Ipomoea purpurea</i>	Convolvulaceae	common morning-glory	SE	*
B C	<i>Iva annua var. annua</i>	Asteraceae	annual sumpweed		0
B	<i>Juglans nigra</i>	Juglandaceae	black walnut		3
B	<i>Juncus dudleyi</i>	Juncaceae	Dudley's rush		3
C P	<i>Juncus interior</i>	Juncaceae	inland rush		2
B	<i>Juncus torreyi</i>	Juncaceae	Torrey's rush		2
B C P	<i>Juniperus virginiana var. virginiana</i>	Cupressaceae	eastern red-cedar		1
B	<i>Justicia americana</i>	Acanthaceae	American water-willow		5
C P	<i>Koeleria macrantha</i>	Poaceae	prairie June grass		6
B	<i>Krigia occidentalis</i>	Asteraceae	western dwarf-dandelion	S1	7
B C P	<i>Kummerowia stipulacea</i>	Fabaceae	Korean low bush-clover	SE	*
B C P	<i>Lactuca serriola</i>	Asteraceae	prickly lettuce	SE	*
C	<i>Lamium amplexicaule var. amplexicaule</i>	Lamiaceae	hen-bit dead-nettle	SE	*
C	<i>Lamium purpureum var. purpureum</i>	Lamiaceae	purple dead-nettle	SE	*
B	<i>Leersia oryzoides var. oryzoides</i>	Poaceae	rice cut grass		4
C	<i>Lepidium densiflorum var. densiflorum</i>	Brassicaceae	prairie pepper-grass		0
B P	<i>Lepidium virginicum var. virginicum</i>	Brassicaceae	Virginia pepper-grass		0
B	<i>Leptochloa fusca subsp. fascicularis</i>	Poaceae	bearded sprangletop		0
B	<i>Leptochloa panicea subsp. mucronata</i>	Poaceae	red sprangletop		0
C P	<i>Lespedeza capitata</i>	Fabaceae	round-head bush-clover		6
B C	<i>Lespedeza cuneata</i>	Fabaceae	sericea bush-clover	SE	*
C P	<i>Lespedeza violacea</i>	Fabaceae	violet bush-clover		5
C	<i>Lespedeza virginica</i>	Fabaceae	slender bush-clover		5
C	<i>Lespedeza xmanniana</i>	Fabaceae	Mann's bush-clover	S1	hybrid
P	<i>Leucanthemum vulgare</i>	Asteraceae	common ox-eye daisy	SE	*
B	<i>Leucospora multifida</i>	Plantaginaceae	paleseed		0
C P	<i>Liatris aspera</i>	Asteraceae	button gayfeather		6
C	<i>Liatris mucronata</i>	Asteraceae	eastern dotted gayfeather		5
B C P	<i>Liatris pycnostachya</i>	Asteraceae	thick-spike gayfeather	S4	7
P	<i>Lilium michiganense</i>	Liliaceae	Michigan lily	S3	8
B	<i>Lindernia dubia var. dubia</i>	Linderniaceae	false-pimpernel		4
C P	<i>Linum sulcatum var. sulcatum</i>	Linaceae	grooved flax		6
C P	<i>Lithospermum canescens</i>	Boraginaceae	hoary gromwell		7
C P	<i>Lithospermum incisum</i>	Boraginaceae	plains gromwell		5
C P	<i>Lobelia spicata var. leptostachys</i>	Campanulaceae	pale-spike lobelia		6
B	<i>Lolium arundinaceum</i>	Poaceae	tall rye grass	SE	*
C	<i>Lomatium foeniculaceum var. daucifolium</i>	Apiaceae	fennel-leaf desert-parsley		6
B P	<i>Lonicera japonica</i>	Caprifoliaceae	Japanese honeysuckle	SE	*
C	<i>Lonicera maackii</i>	Caprifoliaceae	Amur honeysuckle	SE	*
P	<i>Ludwigia alternifolia</i>	Onagraceae	bushy seedbox		5
B	<i>Ludwigia peploides subsp. glabrescens</i>	Onagraceae	floating seedbox		3
B	<i>Lycopus americanus</i>	Lamiaceae	American water-horehound		3
P	<i>Lycopus virginicus</i>	Lamiaceae	Virginia water-horehound		5
C P	<i>Lysimachia ciliata</i>	Primulaceae	fringed loosestrife		6
B C	<i>Lythrum alatum var. alatum</i>	Lythraceae	winged loosestrife		4
B	<i>Maclura pomifera</i>	Moraceae	Osage-orange	SE	*
B	<i>Medicago lupulina</i>	Fabaceae	black medic	SE	*
B C	<i>Melilotus albus</i>	Fabaceae	white sweet-clover	SE	*
B C	<i>Melilotus officinalis</i>	Fabaceae	yellow sweet-clover	SE	*
P	<i>Mimosa quadrivalvis var. nuttallii</i>	Fabaceae	cat-claw mimosa		6
C	<i>Mirabilis albida</i>	Nyctaginaceae	white four-o'clock		5
B C	<i>Mirabilis nyctaginea</i>	Nyctaginaceae	wild four-o'clock		0
B	<i>Mollugo verticillata</i>	Molluginaceae	green carpetweed	SE	*
B C	<i>Monarda fistulosa var. fistulosa</i>	Lamiaceae	wild bergamot bee-balm		3
B	<i>Morus rubra</i>	Moraceae	red mulberry		5
C	<i>Myosotis verna</i>	Boraginaceae	spring forget-me-not		2
C	<i>Nepeta cataria</i>	Lamiaceae	common catnip	SE	*
C	<i>Nothocalais cuspidata</i>	Asteraceae	wavy-leaf false-dandelion	S3	7
C	<i>Nothoscordum bivalve</i>	Alliaceae	yellow false-garlic		3

## Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Scientific Name

<b>Prairie Baker Coblenz Prairie Park</b>	<b>SCIENTIFIC NAME</b>	<b>FAMILY</b>	<b>COMMON NAME</b>	<b>State Rank</b>	<b>CoC</b>
B	<i>Oenothera biennis</i>	Onagraceae	common evening-primrose	S2	0
C	<i>Oenothera macrocarpa</i> subsp. <i>macrocarpa</i>	Onagraceae	Missouri evening-primrose		5
C	<i>Oenothera speciosa</i>	Onagraceae	showy white evening-primrose		2
C	<i>Oenothera villosa</i> subsp. <i>villosa</i>	Onagraceae	hairy evening-primrose		0
C	<i>Ophioglossum engelmannii</i>	Ophioglossaceae	limestone adder's-tongue		3
B C P	<i>Oxalis dillenii</i> subsp. <i>dillenii</i>	Oxalidaceae	gray-green wood-sorrel		0
C P	<i>Oxalis violacea</i>	Oxalidaceae	violet wood-sorrel		4
C	<i>Packera plattensis</i>	Asteraceae	prairie ragwort		5
C	<i>Packera pseud aurea</i> var. <i>semicordata</i>	Asteraceae	false golden ragwort	S2	7
B? C P?	<i>Panicum capillare</i> var. <i>capillare</i>	Poaceae	common witch grass		0
B	<i>Panicum dichotomiflorum</i> var. <i>dichotomiflorum</i>	Poaceae	fall panicum		0
B C P	<i>Panicum virgatum</i> var. <i>virgatum</i>	Poaceae	switch grass		4
C	<i>Paronychia fastigiata</i> var. <i>fastigiata</i>	Caryophyllaceae	forked nailwort		5
B C P	<i>Parthenocissus quinquefolia</i> var. <i>quinquefolia</i>	Vitaceae	Virginia creeper		1
P?	<i>Paspalum setaceum</i> var. <i>muhlenbergii</i>	Poaceae	thin paspalum		2
P	<i>Pedicularis canadensis</i> subsp. <i>canadensis</i>	Orobanchaceae	Canadina lousewort		7
C P	<i>Pedimelum esculentum</i>	Fabaceae	bread-root scurf-pea	S5	7
C	<i>Penstemon cobaea</i> var. <i>cobaea</i>	Plantaginaceae	cobaea beardtongue		5
C	<i>Penstemon tubaeiflorus</i>	Plantaginaceae	tube beardtongue		3
B C	<i>Penthorum sedoides</i>	Penthoraceae	ditch-stonecrop		3
B	<i>Persicaria amphibia</i>	Polygonaceae	swamp smartweed		2
B C	<i>Persicaria hydropiperoides</i>	Polygonaceae	mild water-pepper smartweed		4
B	<i>Persicaria lapathifolia</i>	Polygonaceae	pale smartweed		2
B	<i>Persicaria pensylvanica</i>	Polygonaceae	Pennsylvania smartweed		2
P	<i>Phleum pratense</i> subsp. <i>pratense</i>	Poaceae	common timothy	SE	*
C P	<i>Phlox pilosa</i> subsp. <i>fulgida</i>	Polemoniaceae	prairie phlox	S3	7
B	<i>Physalis angulata</i> var. <i>angulata</i>	Solanaceae	cut-leaf ground-cherry		4
C	<i>Physalis virginiana</i>	Solanaceae	Virginia ground-cherry	S3	6
B	<i>Phytolacca americana</i> var. <i>americana</i>	Phytolaccaceae	American pokeweed		0
C P	<i>Plantago aristata</i>	Plantaginaceae	bottle-brush plantain		2
C P	<i>Plantago virginica</i>	Plantaginaceae	pale-seed plantain		1
B	<i>Platanus occidentalis</i>	Platanaceae	common sycamore		4
B C P	<i>Poa pratensis</i>	Poaceae	Kentucky blue grass	SE	*
P	<i>Podophyllum peltatum</i>	Berberidaceae	common May-apple		4
P	<i>Polygala incarnata</i>	Polygalaceae	slender milkwort	S4	8
C	<i>Polygala verticillata</i>	Polygalaceae	whorled milkwort		3
B	<i>Polygonum aviculare</i>	Polygonaceae	prostrate knotweed	SE	*
B	<i>Polygonum tenue</i>	Polygonaceae	pleat-leaf knotweed		6
B	<i>Polygonum virginianum</i>	Polygonaceae	jumpseed		2
C P	<i>Polytaenia nuttallii</i>	Apiaceae	Nuttall's prairie-parsley		6
B C	<i>Populus deltoides</i> subsp. <i>monilifera</i>	Salicaceae	plains cottonwood		0
C P	<i>Potentilla arguta</i> var. <i>arguta</i>	Rosaceae	tall cinquefoil		6
C	<i>Potentilla recta</i>	Rosaceae	sulfur cinquefoil	SE	*
C P	<i>Potentilla simplex</i>	Rosaceae	old-field cinquefoil		3
P	<i>Prenanthes aspera</i>	Asteraceae	rough rattlesnake-root	S3	8
C P	<i>Prunella vulgaris</i>	Lamiaceae	common selfheal	SE	*
B C	<i>Prunus americana</i>	Rosaceae	American plum		3
C	<i>Prunus mexicana</i>	Rosaceae	big-tree plum		3
P	<i>Prunus serotina</i> var. <i>serotina</i>	Rosaceae	black cherry		3
C P	<i>Pseudognaphalium obtusifolium</i>	Asteraceae	fragrant false-cudweed		0
C P	<i>Psoraleidum tenuiflorum</i>	Fabaceae	narrow-leaf scurf-pea		3
C P	<i>Pycnanthemum tenuifolium</i>	Lamiaceae	narrow-leaf mountain-mint		4
B P	<i>Pyrrhopappus carolinianus</i>	Asteraceae	Carolina false-dandelion		1
B	<i>Quercus macrocarpa</i>	Fagaceae	bur oak		4
B	<i>Quercus palustris</i>	Fagaceae	pin oak	S3	3
B C	<i>Ranunculus sceleratus</i> var. <i>sceleratus</i>	Ranunculaceae	cursed crowfoot		0
C	<i>Ratibida columnifera</i>	Asteraceae	upright prairie-coneflower		4
B C	<i>Ratibida pinnata</i>	Asteraceae	gray-head prairie-coneflower		3
C	<i>Rhus aromatica</i> var. <i>aromatica</i>	Anacardiaceae	fragrant sumac		3
P	<i>Rhus copallina</i>	Anacardiaceae	dwarf sumac		3
B C P	<i>Rhus glabra</i>	Anacardiaceae	smooth sumac		1
B	<i>Ribes missouriense</i>	Grossulariaceae	Missouri gooseberry		3
B	<i>Rorippa palustris</i> subsp. <i>hispida</i>	Brassicaceae	bog yellowcress		2

## Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Scientific Name

<b>Prairie Baker Coblenz Prairie Park</b>	<b>SCIENTIFIC NAME</b>	<b>FAMILY</b>	<b>COMMON NAME</b>	<b>State Rank</b>	<b>CoC</b>
C P	<i>Rosa arkansana</i>	Rosaceae	Arkansas rose		4
C	<i>Rosa carolina</i> var. <i>carolina</i>	Rosaceae	pasture rose	S3	5
C P	<i>Rosa multiflora</i>	Rosaceae	multiflora rose	SE	*
C P	<i>Rosa setigera</i> var. <i>setigera</i>	Rosaceae	prairie rose		3
C	<i>Rubus aboriginum</i>	Rosaceae	one-flower dewberry		5
P	<i>Rubus allegheniensis</i>	Rosaceae	Alleghany blackberry	S1	4
C	<i>Rubus alumnus</i>	Rosaceae	nursling highbush blackberry	S1	4
P	<i>Rubus flagellaris</i>	Rosaceae	American dewberry		5
B C P	<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	Asteraceae	black-eyed-Susan		2
P	<i>Rudbeckia subtomentosa</i>	Asteraceae	sweet coneflower		6
C P	<i>Ruellia humilis</i>	Acanthaceae	fringe-leaf ruellia		3
B C	<i>Rumex altissimus</i>	Polygonaceae	pale dock		0
B C	<i>Rumex crispus</i>	Polygonaceae	curly dock	SE	*
B C	<i>Sagittaria latifolia</i>	Alismataceae	broad-leaf arrowhead		4
B	<i>Salix babylonica</i>	Salicaceae	weeping willow	SE	*
B C	<i>Salix nigra</i>	Salicaceae	black willow		2
C P	<i>Salvia azurea</i>	Lamiaceae	blue sage		4
C	<i>Salvia reflexa</i>	Lamiaceae	lance-leaf sage		1
B C P	<i>Sambucus canadensis</i>	Adoxaceae	American honeysuckle		2
B C	<i>Schizachyrium scoparium</i> subsp. <i>scoparium</i>	Poaceae	little bluestem		5
C	<i>Schoenoplectus tabernaemontani</i>	Cyperaceae	soft-stem twine-bulrush		4
B C	<i>Scirpus atrovirens</i>	Cyperaceae	green bulrush		4
B	<i>Scirpus georgianus</i>	Cyperaceae	Georgia bulrush		4
B C P	<i>Scirpus pendulus</i>	Cyperaceae	drooping bulrush		3
C P	<i>Scleria triglomerata</i>	Cyperaceae	whip nut-rush	S5	8
C P?	<i>Scutellaria parvula</i> var. <i>australis</i>	Lamiaceae	southern small skullcap		5
C	<i>Securigera varia</i>	Fabaceae	common crown-vetch	SE	*
B C	<i>Senna marilandica</i>	Fabaceae	Maryland senna		3
B P	<i>Setaria faberi</i>	Poaceae	Chinese bristle grass	SE	*
B C	<i>Setaria pumila</i>	Poaceae	yellow bristle grass	SE	*
B	<i>Setaria viridis</i> var. <i>viridis</i>	Poaceae	green bristle grass	SE	*
B	<i>Sida spinosa</i>	Malvaceae	prickly sida	SE	*
B C	<i>Silene antirrhina</i>	Caryophyllaceae	sleep catchfly		0
C	<i>Silene stellata</i>	Caryophyllaceae	starry catchfly		5
C	<i>Silphium integrifolium</i> var. <i>laeve</i>	Asteraceae	showy rosinweed		3
P	<i>Silphium integrifolium</i> var. <i>integrifolium</i>	Asteraceae	whole-leaf rosinweed		3
C P	<i>Silphium laciniatum</i>	Asteraceae	compassplant		4
C	<i>Silphium perfoliatum</i> var. <i>perfoliatum</i>	Asteraceae	cup rosinweed		3
C P	<i>Sisyrinchium campestre</i>	Iridaceae	prairie blue-eyed-grass		6
B	<i>Smilax hispida</i>	Smilacaceae	bristly greenbrier		2
C P	<i>Solanum carolinense</i>	Solanaceae	Carolina horse-nettle		1
C	<i>Solanum ptychanthum</i>	Solanaceae	black nightshade		1
B? C P?	<i>Solidago canadensis</i> var. <i>scabra</i>	Asteraceae	Canadian goldenrod		1
C	<i>Solidago gigantea</i>	Asteraceae	late goldenrod		3
C	<i>Solidago missouriensis</i>	Asteraceae	Missouri goldenrod		5
C P?	<i>Solidago nemoralis</i> subsp. <i>nemoralis</i>	Asteraceae	gray goldenrod		2
C	<i>Solidago petiolaris</i> var. <i>petiolaris</i>	Asteraceae	downy goldenrod	S4	7
C P	<i>Solidago rigida</i> subsp. <i>rigida</i>	Asteraceae	stiff goldenrod		3
C P	<i>Solidago speciosa</i> var. <i>rigiduscula</i>	Asteraceae	showy-wand goldenrod	S3	7
B C P	<i>Sorghastrum nutans</i>	Poaceae	yellow Indian grass		5
B	<i>Sorghum halepense</i>	Poaceae	Johnson grass	SE	*
B	<i>Sparganium eurycarpum</i>	Sparganiaceae	giant bur-reed		5
P	<i>Spartina pectinata</i>	Poaceae	prairie cord grass		4
C	<i>Sphenopholis obtusata</i> var. <i>major</i>	Poaceae	slender wedgescale		6
C	<i>Spiranthes lacera</i> var. <i>gracilis</i>	Orchidaceae	southern slender ladies'-tresses		6
C	<i>Spiranthes vernalis</i>	Orchidaceae	spring ladies'-tresses	S4	8
C P	<i>Sporobolus heterolepis</i>	Poaceae	prairie dropseed	S2	8
B	<i>Sporobolus vaginiflorus</i>	Poaceae	poverty dropseed		0
B	<i>Symphoricarpos orbiculatus</i>	Caprifoliaceae	buckbrush		1
C	<i>Symphotrichum drummondii</i> subsp. <i>drummondii</i>	Asteraceae	Drummond's aster		2
B C P	<i>Symphotrichum ericoides</i> subsp. <i>ericoides</i>	Asteraceae	heath aster		5
B?	<i>Symphotrichum lanceolatum</i> var. <i>interior</i>	Asteraceae	lance-leaf aster		3
C	<i>Symphotrichum oblongifolium</i>	Asteraceae	aromatic aster		5

Plants at Baker Restoration, Coblenz Prairie, Prairie Park Sorted by Scientific Name

Prairie Baker Coblenz Prairie Park	SCIENTIFIC NAME	FAMILY	COMMON NAME	State Rank	CoC
C P	<i>Symphyotrichum oolentangiense</i>	Asteraceae	azure aster		8
C	<i>Symphyotrichum pilosum</i> var. <i>pilosus</i>	Asteraceae	hairy aster		0
C P	<i>Symphyotrichum praealtum</i> var. <i>praealtum</i>	Asteraceae	willow-leaf aster		3
B C P	<i>Taraxacum officinale</i>	Asteraceae	common dandelion	SE	*
P	<i>Tephrosia virginiana</i>	Fabaceae	Virginia hoary-pea	S4	7
C P	<i>Teucrium canadense</i> var. <i>canadense</i>	Lamiaceae	American germander		1
B C	<i>Thlaspi arvense</i>	Brassicaceae	field pennycress	SE	*
B C P	<i>Toxicodendron radicans</i> subsp. <i>negundo</i>	Anacardiaceae	poison-ivy		0
C	<i>Tradescantia bracteata</i>	Commelinaceae	bracted spiderwort		5
P	<i>Tradescantia ohiensis</i>	Commelinaceae	Ohio spiderwort		5
C	<i>Tragia betonicifolia</i>	Euphorbiaceae	betony noseburn		5
B	<i>Tragopogon dubius</i>	Asteraceae	western salsify	SE	*
B	<i>Trifolium hybridum</i>	Fabaceae	alsike clover	SE	*
B	<i>Trifolium pratense</i>	Fabaceae	red clover	SE	*
B	<i>Trifolium repens</i>	Fabaceae	white clover	SE	*
C	<i>Triodanis leptocarpa</i>	Campanulaceae	slender-fruit Venus'-looking-glass		3
B C P	<i>Triodanis perfoliata</i>	Campanulaceae	clasping-leaf Venus'-looking-glass		2
C	<i>Triosteum perfoliatum</i>	Caprifoliaceae	clasping-leaf horse-gentian		4
B C P	<i>Tripsacum dactyloides</i> var. <i>dactyloides</i>	Poaceae	eastern gamma grass		3
C	<i>Turritis glabra</i>	Brassicaceae	tower rockcress	SE	*
B	<i>Typha angustifolia</i>	Typhaceae	narrow-leaf cat-tail		0
B	<i>Typha latifolia</i>	Typhaceae	broad-leaf cat-tail		1
B C	<i>Ulmus americana</i>	Ulmaceae	American elm		2
C	<i>Ulmus pumila</i>	Ulmaceae	Siberian elm	SE	*
P	<i>Ulmus rubra</i>	Ulmaceae	slippery elm		3
B	<i>Valerianella radiata</i>	Valerianaceae	limestone cornsalad		2
C P	<i>Verbascum thapsus</i>	Scrophulariaceae	flannel mullein	SE	*
C P	<i>Verbena hastata</i>	Verbenaceae	blue vervain		4
C	<i>Verbena stricta</i>	Verbenaceae	hoary vervain		1
C P	<i>Verbena urticifolia</i>	Verbenaceae	nettle-leaf vervain		2
C P	<i>Vernonia baldwinii</i> subsp. <i>interior</i>	Asteraceae	western ironweed		2
B?	<i>Veronica peregrina</i> subsp. <i>peregrina</i>	Plantaginaceae	purslane speedwell		0
B? C	<i>Veronica peregrina</i> subsp. <i>xalapensis</i>	Plantaginaceae	purslane speedwell		0
C P	<i>Veronicastrum virginicum</i>	Plantaginaceae	Culver's-root		8
C	<i>Viola bicolor</i>	Violaceae	Johnny-jump-up		0
C P	<i>Viola pedatifida</i> var. <i>pedatifida</i>	Violaceae	prairie violet		6
P	<i>Viola pubescens</i> var. <i>pubescens</i>	Violaceae	downy yellow violet		5
B P	<i>Viola sororia</i> var. <i>missouriensis</i>	Violaceae	downy yellow violet		2
C	<i>Viola sororia</i> var. <i>sororia</i>	Violaceae	dowy blue violet		2
B P	<i>Vitis riparia</i>	Vitaceae	riverbank grape		2
B	<i>Xanthium strumarium</i> var. <i>canadense</i>	Asteraceae	common cocklebur		0
C P	<i>Zizia aurea</i>	Apiaceae	common golden-alexanders		5
<b>State Rank Definitions:</b>					
S1 = critically imperiled in KS; 5 or fewer occurrences					
S2 = imperiled in KS; 6-20 occurrences					
S3 = rare in KS; 21-100 occurrences					
S4 = apparently secure in KS; many occurrences					
S5 = demonstrably secure in KS					
SE = exotic in KS					
SH = of historical occurrence in KS, not seen in 30 years					
SX = apparently extirpated in KS					
SR = reported in KS but without persuasive documentation					
SRF = reported falsely in KS; see "Excluded Taxa" worksheet					